

# COUNTY GOVERNMENT OF LAMU DEPARTMENT OF FISHERIES



#### TENDER DOCUMENT

# FOR EXTENSION AND COMPLETION OF KIZINGITINI ICE PLANT.

TENDER NO. CGL/TND/FISHERIES/041/2020-2021

(NEGOTIATION NUMBER: 875484-2)

# TABLE OF CONTENTS

<u>PAGE</u>

# TABLE OF CONTENTS

**PAGE** 

SECTION I	INVITATION FOR TENDERS	3			
SECTION II	INSTRUCTIONS TO TENDERERS	4			
SECTION III	CONDITIONS OF CONTRACT	13			
SECTION IV	EVALUATION CRITERIA	23			
SECTION V	STANDARD FORMS	25			
SECTION VI	SPECIFICATIONS, DRAWINGS AND	46			
BILLS OF QUANTITIES/SCHEDULE OF RATE					

#### **SECTION I**

#### **INVITATION FOR TENDERS;**

#### Tender Reference No. TENDER No. CGL/TND/FISHERIES/041/2020-2021

#### Tender Name: EXTENSION AND COMPLETION OF KIZINGITINI ICE PLANT.

County government of Lamu invites sealed tenders for;

#### FOR EXTENSION AND COMPLETION OF KIZINGITINI ICE PLANT.

Interested eligible candidates may obtain further information and inspect the tender documents at Supply Chain Management office at the County Treasury located in Lamu during normal working hours or visit Lamu County Government website <a href="http://www.lamu.go.ke">http://www.lamu.go.ke</a>.

A complete set of tender documents shall be made available on the Lamu County Government website: <a href="http://www.lamu.go.ke">http://www.lamu.go.ke</a>.

Prices quoted should be net inclusive of all taxes, must be in Kenya shillings and shall remain valid for 120 days from the closing date of tender.

Completed tender documents are to be addressed to (COUNTY GOVERNMENT OF LAMU P.O BOX 74-80500, LAMU and should be submitted electronically through IFMIS supplier portal at supplier.treasury.go.ke so as to be received on or before Thursday 10<sup>th</sup> June, 2021 at 11.00 a.m.

Tenders will be opened immediately thereafter in the presence of the candidates or their representatives who choose to attend at County Government of Lamu Board Room, Mokowe.

For (Accounting Officer/County Government of Lamu)

# SECTION II INSTRUCTIONS TO TENDERERS

# TABLE OF CONTENTS

CLAUSE	PAGE.
GENERAL	4
TENDER DOCUMENTS	5
PREPARATION OF TENDERS	5
SUBMISSION OF TENDERS	6
TENDER OPENING AND EVALUATON	7
AWARD OF CONTRACT	8

#### INSTRUCTIONS TO TENDERERS.

#### General

The Employer as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The successful Tenderer will be expected to complete the Works by the Intended Completion Date specified in the said Appendix.

Tenderers shall include the following information and documents with their tenders, unless otherwise stated:

Principal place of business;

experience in works of a similar nature and size for each of the last 3 years, and clients who may be contacted for further information on these contracts;

major items of construction equipment owned;

qualifications and experience of two key site technical personnel proposed for the Contract;

Authority to seek references from the Tenderer's bankers.

Audited Financial Accounts for the last two years:

Certified Copy of Certificate of Incorporation/Registration.

Certified Copy of Current Tax Compliance certificate from Kenya Revenue Authority.

Certified Copy of Valid and current Business Permit.

Disclosure of business ownership (Directors/ Partners /Sole Proprietor). Attach a copy of CR12 Form

The Tenderer shall bear all costs associated with the preparation and submission of his tender, and the Employer will in no case be responsible or liable for those costs.

The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Works and its surroundings, and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Tenderer's own expense.

The procurement entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.

#### **Tender Documents**

The complete set of tender documents comprises the documents listed here below and any addenda issued in accordance with clause 2.4 here below:-

These instructions to Tenderers

Form of Tender

Conditions of Contract and Appendix to Conditions of Contract

Specifications

**Drawings** 

Bills of Quantities/Schedule of Rates (whichever is applicable)

Other materials required to be filled and submitted in accordance with these Instructions and Conditions

The Tenderer shall examine all instructions, forms and specifications in the tender documents. Failure to furnish all information required by the tender documents may result in rejection of his tender.

A prospective Tenderer making inquiries of the tendering documents may notify the Employer in writing or by cable, telex or facsimile at the address indicated in the letter of invitation to tender. The Employer will respond to any request for clarification received earlier than seven

[7] days prior to the deadline for submission of tenders. Copies of the Employer's response will be forwarded to all persons issued with tendering documents, including a description of the inquiry, but without identifying its source.

Before the deadline for submission of tenders, the Employer may modify the tendering documents by issuing addenda. Any addendum thus issued shall be part of the tendering documents and shall be communicated in writing or by cable, telex or facsimile to all Tenderers. Prospective Tenderers shall acknowledge receipt of each addendum in writing to the Employer.

To give prospective Tenderers reasonable time in which to take an addendum into account in preparing their tenders, the Employer shall extend, as necessary, the deadline for submission of tenders in accordance with clause 4.2 here below.

### **Preparation of Tenders**

All documents relating to the tender and any correspondence shall be in English Language.

The tender submitted by the Tenderer shall comprise the following:-The Tender:

Tender Security;

Priced Bill of Quantities/Schedule of Rates for lump-sum Contracts

Any other materials required to be completed and submitted by Tenderers.

The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities/Schedule of Rates. Items for which no rate or price is entered by the Tenderer will not be paid for when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities/Schedule of Rates. All duties, taxes and other levies payable by the Contractor under the Contract, as of 30 days prior to the deadline for submission of tenders, shall be included in the tender price submitted by the Tenderer.

The rates and prices quoted by the Tenderer shall not be subject to any adjustment during the performance of the Contract.

The unit rates and prices shall be in Kenya Shillings.

Tenders shall remain valid for a period of ninety (90) days from the date of submission. However in exceptional circumstances, the Employer may request that the Tenderers extend

the period of validity for a specified additional period. The request and the Tenderers' responses shall be made in writing.

The Tenderer shall prepare one original of the documents comprising the tender documents as described in these Instructions to Tenderers.

The original shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign on behalf of the Tenderer. All pages of the tender where alterations or additions have been made shall be initialed by the person or persons signing the tender.

Clarification of tenders shall be requested by the tenderer to be received by the County Government of Lamu not later than 7 days prior to the deadline for submission of tenders.

The County Government of Lamu shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

#### **Submission of Tenders**

The tender duly filled and sealed in an envelope shall;-

(a) be addressed to the Employer at the address provided in the invitation to tender;

bear the name and identification number of the Contract as defined in the invitation to tender; and

provide a warning not to open before the specified time and date for tender opening.

(d) be submitted in both original and copy.

Tenders shall be delivered to the Employer at the address specified above not later than the time and date specified in the invitation to tender.

The tenderer shall not submit any alternative offers unless they are specifically required in the tender documents.

Only one tender may be submitted by each tenderer. Any tenderer who fails to comply with this requirement will be disqualified.

Any tender received after the deadline for opening tenders will be returned to the tenderer un-opened.

The Employer may extend the deadline for submission of tenders by issuing an amendment in accordance with subclause 2.5 in which case all rights and obligations of the Employer and the Tenderers previously subject to the original deadline will then be subject to the new deadline.

# **Tender Opening and Evaluation**

The tenders will be opened in the presence of the Tenderers' representatives who choose to attend at the time and in the place specified in the invitation to tender.

The Tenderers' names, the total amount of each tender and such other details as may be considered appropriate, will be announced at the opening by the Employer. Minutes of the tender opening, including the information disclosed to those present will also be prepared by the Employer.

Information relating to the examination, clarification, evaluation and comparison of tenders and recommendations for the award of the Contract shall not be disclosed to Tenderers or any other persons not officially concerned with such process until the award to the successful Tenderer has been announced. Any effort by a Tenderer to influence the Employer's officials, processing of tenders or award decisions may result in the rejection of his tender.

There will be no correction of errors.

The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

Where contract price variation is allowed, the valuation shall not exceed 15% of the original contract price.

Price variation requests shall be processed by the County Government of Lamu within 30 days of receiving the request.

Preference where allowed in the evaluation of tenders shall not exceed 15%

To assist in the examination, evaluation, and comparison of tenders, the Employer at his discretion, may request [in writing] any Tenderer for clarification of the tender, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, telex or facsimile but no change in the tender price or substance of the tender shall be sought, offered or permitted.

The Tenderer shall not influence the Employer on any matter relating to his tender from the time of the tender opening to the time the Contract is awarded. Any effort by the Tenderer to influence the Employer or his employees in his decision on tender evaluation, tender comparison or Contract award may result in the rejection of the tender.

#### **Award of Contract**

The award of the Contract will be made to the Tenderer who has scored the highest combined scores. Notwithstanding the provisions of clause 6.1 above, the Employer reserves the right to accept or reject any tender and to cancel the tendering process and reject all tenders at any time prior to the award of Contract without thereby incurring any liability to the affected Tenderer or Tenderers or any obligation to inform the affected Tenderer or Tenderers of the grounds for the action.

The Tenderer whose tender has been accepted will be notified of the award prior to expiration of the tender validity period in writing or by cable, telex or facsimile. This notification (hereinafter and in all Contract documents called the "Letter of Acceptance") will state the sum [hereinafter and in all Contract documents called the "Contract Price" which the Employer will pay the Contractor in consideration of the execution, completion, and maintenance of the Works by the Contractor as prescribed by the Contract. The contract shall be formed on the parties signing the contract. At the same time the other tenderers shall be informed that their tenders have not been successful.

The Contract Agreement will incorporate all agreements between the Employer and the successful Tenderer. It will be signed by the Employer and sent to the successful Tenderer, within 30 days following the notification of award. Within 21 days of receipt, the successful Tenderer will sign the Agreement and return it to the Employer.

Within 21 days after receipt of the Letter of Acceptance, the successful Tenderer shall deliver to the Employer a Performance Security amount stipulated in the Appendix to Conditions of Contract.

The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

The County Government of Lamu may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.

The County Government of Lamu shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 day of receiving the request from any tenderer.

#### Terms of Payment.

The County Government of Lamu shall not pay any advance payment on this works. Payments will be based on work done.

#### **Corrupt and fraudulent practices**

The County Government of Lamu requires that the tenderer observes the highest standard of ethics during the procurement process and execution of the contract. A tenderer shall sign a declaration that he has not and will not be involved in corrupt and fraudulent practices.

The County Government of Lamu will reject a tender if it determines that the tenderer recommended for award has engaged in corrupt and fraudulent practices in competing for the contract in question.

Further a tenderer who is found to have indulged in corrupt and fraudulent practices risks being debarred from participating in public procurement in Kenya.

#### APPENDIX TO INSTRUCTIONS TO TENDERERS

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers.

INSTRUCTIONS TO	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO				
TENDERERS	TENDERS				
REFERENCE					
1.1	This Invitation for Tenders is open to all tenderers eligible as				
	described below:				
	the person has the legal capacity to enter into a contract for procurement or asset disposal;				
	the person is not insolvent, in receivership, bankrupt or in the				
	process of being wound up;				
	the person, if a member of a regulated profession, has satisfied				
	all the professional requirements;				

1,2	the procuring entity is not precluded from entering into the contract with the person under section 38 of PPAD Act (MUST complete the attached form); the person and his or her sub-contractor, if any, is not debarred from participating in procurement proceedings under Part XI of PPAD Act (MUST complete the attached form); the person has fulfilled tax obligations; the person has not been convicted of corrupt or fraudulent practices; and is not guilty of any serious violation of fair employment laws and practices.  Tenderers are required to provide copies of the following documents:  Audited Financial Accounts for the last two years.
	Certified Copy of Certificate of Incorporation/Registration. Certified Copy of Current Tax Compliance certificate from Kenya Revenue Authority. KRA Pin Certificate. Certified Copy of Valid and current Business Permit. Disclosure of business ownership (Directors/ Partners/Sole Proprietor). Attach a copy of CR12 Form
1.3	The tender security shall be 2% of the tender amount from a reputable bank or insurance companies approved by PPRA and submitted in any of the following forms:  Cash A bank guarantee Such insurance guarantee approved by the Authority Letter of credit.
1.5	Tender will close on 10th June, 2021 at 11:00 a.m.
1.6	No advance payment acceptable for this tender
1.7	The inquiry address is hereby given as Lamu County Government, PO BOX 74- 80500 Lamu. Only written inquiries are accepted
1.8	Documentary evidence for those submitting tenders for this works shall comprise of; Drawings Equipment Data Sheet Performance charts, CVs for 4 key site management and technical persons Work plan/schedule
1.9	Tenders' validity shall be <b>120 days</b> from the date of Tender Opening
1.10	Tenders shall be submitted in the IFMIS Suppliers portal and should be properly marked.
1.11	Price offers as read during Tender Opening shall be evaluated as is without conducting arithmetic checks.

1.12	Post-qualification shall not be done.
1.13	Qualification criteria has been detailed further in Section VII of this Tender Document (Evaluation Criteria)

C		of Clauses	Pa	ge
	1.	DEFINITIONS		0-
	2.	CONTRACT DOCUMENTS	12	
	3.	EMPLOYER'S REPRESENTATIVE'S DECISIONS	13	
	4.	WORKS, LANGUAGE AND LAW OF CONTRACT	13	
	5.	SAFETY, TEMPORARY WORKS AND DISCOVERIES	13	
	6.	WORK PROGRAM AND SUB-CONTRACTING	13	
	7.	THE SITE	13 - 14	
	8.	INSTRUCTIONS	14	
	9.	EXTENSION OF COMPLETION DATE	14 - 15	
	10. M	ANAGEMENT MEETINGS	15	
	11. Dl	EFECTS	15 - 16	
	12. BI	LLS OF QUANTITIES/SCHEDULE OF RATES	16	
	13. V	ARIATIONS	16	
	14. PA	AYMENT CERTIFICATES AND FINAL ACCOUNT	16 - 17	
	15. IN	SURANCES	18	
	16. LI	QUIDATED DAMAGES	18	
	17. CO	OMPLETION AND TAKING OVER	18	
	18. TI	ERMINATION	18 - 19	
	19. PA	AYMENT UPON TERMINATION	19	
	20. Co	ORRUPT GIFTS AND PAYMENTS OF COMMISSION	19 - 20	
	SETT	LEMENT OF DISPUTES	20	

APPENDIX TO CONDITIONS OF CONTRACT ...... 21 – 22

#### **SECTION III - CONDITIONS OF CONTRACT**

#### **Definitions**

- In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated;
- "Bills of Quantities" means the priced and completed Bill of Quantities forming part of the tender [where applicable].
- "Schedule of Rates" means the priced Schedule of Rates forming part of the tender [where applicable].
- "The Completion Date" means the date of completion of the Works as certified by the Employer's Representative.
- "The Contract" means the agreement entered into by the Employer and the Contractor as recorded in the Agreement Form and signed by the parties.
- "The Contractor" refers to the person or corporate body whose tender to carry out the Works has been accepted by the Employer.
- "The Contractor's Tender" is the completed tendering document submitted by the Contractor to the Employer.
- "The Contract Price" is the price stated in the Letter of Acceptance.
- "Days" are calendar days; "Months" are calendar months.
- "A Defect" is any part of the Works not completed in accordance with the Contract.
- "The Defects Liability Certificate" is the certificate issued by Employer's Representative upon correction of defects by the Contractor.
- "The Defects Liability Period" is the period named in the Appendix to Conditions of Contract and calculated from the Completion Date.
- "Drawings" include calculations and other information provided or approved by the Employer's Representative for the execution of the Contract.
- **"Employer" Includes** Central or Local Government administration, Universities, Public Institutions and Corporations and is the party who employs the Contractor to carry out the Works.
- "Equipment" is the Contractor's machinery and vehicles brought temporarily to the Site for the execution of the Works.
- "Site" means the place or places where the permanent Works are to be carried out including workshops where the same is being prepared.

- "Materials" are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- "Employer's Representative" is the person appointed by the Employer and notified to the Contractor for the purpose of supervision of the Works.
- "Specification" means the Specification of the Works included in the Contract.
- "Start Date" is the date when the Contractor shall commence execution of the Works.
- "A Subcontractor" is a person or corporate body who has a Contract with the Contractor to carry out a part of the Work in the Contract, which includes Work on the Site.
- "Temporary works" are works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.
- "A Variation" is an instruction given by the Employer's Representative which varies the Works.
- "The Works" are what the Contract requires the Contractor to construct, install, and turnover to the Employer.

#### **Contract Documents**

The following documents shall constitute the Contract documents and shall be interpreted in the following order of priority;

Agreement, Letter of Acceptance, Contractor's Tender, Conditions of Contract, Specifications, Drawings,

Bills of Quantities or Schedule of Rates [whichever is applicable)

#### **Employer's Representative's Decisions**

Except where otherwise specifically stated, the Employer's Representative will decide contractual matters between the Employer and the Contractor in the role representing the Employer.

#### Works, Language and Law of Contract

The Contractor shall construct and install the Works in accordance with the Contract documents. The Works may commence on the Start Date and shall be carried out in accordance with the Program submitted by the Contractor, as updated with the approval of the Employer's Representative, and complete them by the Intended Completion Date.

The ruling language of the Contract shall be English language and the law governing the Contract shall be the law of the Republic of Kenya.

# Safety, Temporary works and Discoveries

The Contractor shall be responsible for design of temporary works and shall obtain approval of third parties to the design of the temporary works where required.

The Contractor shall be responsible for the safety of all activities on the Site.

Any thing of historical or other interest or significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Employer's Representative of such discoveries and carry out the Employer's

Representative's instructions for dealing with them.

#### **Work Program and Sub-contracting**

Within seven days after Site possession date, the Contractor shall submit to the Employer's Representative for approval a program showing the general methods, arrangements, order and timing for all the activities in the Works.

The Contractor may sub-contract the Works (but only to a maximum of 25 percent of the Contract Price) with the approval of the Employer's Representative. However, he shall not assign the Contract without the approval of the Employer in writing. Sub-contracting shall not alter the Contractor's obligations.

#### The site

The Employer shall give possession of all parts of the Site to the Contractor.

The Contractor shall allow the Employer's Representative and any other person authorised by the Employer's Representative, access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

#### **Instructions**

The Contractor shall carry out all instructions of the Employer's Representative which are in accordance with the Contract.

# **Extension of Completion Date**

The Employer's Representative shall extend the Completion Date if an occurrence arises which makes it impossible for completion to be achieved by the Intended Completion Date. The

Employer's Representative shall decide whether and by how much to extend the Completion Date.

For the purposes of this clause, the following occurrences shall be valid for consideration; Delay by:force majeure, or

reason of any exceptionally adverse weather conditions, or

reason of civil commotion, strike or lockout affecting any of the trades employed upon the Works or any of the trades engaged in the preparation, manufacture or transportation of any of the goods or materials required for the Works, or

reason of the Employer's Representative's instructions issued under these Conditions, or

reason of the contractor not having received in due time necessary instructions, drawings, details or levels from the Employer's Representative for which he specifically applied in writing on a date which having regard to the date for Completion stated in the appendix to these Conditions or to any extension of time then fixed under this clause was neither unreasonably distant from nor unreasonably close to the date on which it was necessary for him to receive the same, or

delay on the part of artists, tradesmen or others engaged by the Employer in executing work not forming part of this Contract, or

reason of delay by statutory or other services providers or similar bodies engaged directly by the Employer, or

reason of opening up for inspection of any Work covered up or of the testing or any of the Work, materials or goods in accordance with these conditions unless the inspection or test showed that the Work, materials or goods were not in accordance with this Contract, or

reason of delay in appointing a replacement Employer's Representative, or

reason of delay caused by the late supply of goods or materials or in executing Work for which the Employer or his agents are contractually obliged to supply or to execute as the case may be, or

delay in receiving possession of or access to the Site.

#### **Management Meetings**

A Contract management meeting shall be held regularly and attended by the Employer's Representative and the Contractor. Its business shall be to review the plans for the remaining Work. The Employer's Representative shall record the business of management meetings and provide copies of the record to those attending the meeting and the Employer. The responsibility of the parties for

actions to be taken shall be decided by the Employer's Representative either at the management meeting or after the management meeting and stated in writing to all who attend the meeting.

Communication between parties shall be effective only when in writing.

#### **Defects**

The Employer's Representative shall inspect the Contractor's work and notify the Contractor of any defects that are found. Such inspection shall not affect the Contractor's responsibilities. The Employer's Representative may instruct the Contractor to search for a defect and to uncover and test any Work that the Employer's Representative considers may have a defect. Should the defect be found, the cost of uncovering and making good shall be borne by the Contractor. However if there is no defect found, the cost of uncovering and making good shall be treated as a variation and added to the Contract Price.

The Employer's Representative shall give notice to the Contractor of any defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the Appendix to Conditions of Contract.

Every time notice of a defect is given, the Contractor shall correct the notified defect within the length of time specified by the Employer's Representative's notice. If the Contractor has not corrected a defect within the time specified in the Employer's Representative's notice, the Employer's Representative will assess the cost of having the defect corrected by other parties and such cost shall be treated as a variation and be deducted from the Contract Price.

# Bills of Quantities/Schedule of Rates

The Bills of Quantities/Schedule of Rates shall contain items for the construction, installation, testing and commissioning of the Work to be done by the Contractor. The Contractor will be paid for the quantity of the Work done at the rates in the Bills of Quantities/Schedule of Rates for each item. Items against which no rate is entered by the Tenderer will not be paid for when executed and shall be deemed covered by the rates for other items in the Bills of Quantities/Schedule of Rates.

Where Bills of Quantities do not form part of the Contract, the Contract Price shall be a lump sum (which shall be deemed to have been based on the rates in the Schedule of Rates forming part of the tender) and shall be subject to re-measurement after each stage.

#### Variations

The Contractor shall provide the Employer's Representative with a quotation for carrying out the variations when requested to do so. The Employer's Representative shall assess the quotation and shall obtain the necessary authority from the Employer before the variation is ordered.

If the Work in the variation corresponds with an item description in the Bill of Quantities/Schedule of Rates, the rate in the Bill of Quantities/Schedule of Rates shall be used to calculate the value of the variation. If the nature of the Work in the variation does not correspond with items in the Bill of Quantities/Schedule of Rates, the quotation by the Contractor shall be in the form of new rates for the relevant items of Work.

If the Contractor's quotation is unreasonable, the Employer's Representative may order the variation and make a change to the Contract Price, which shall be based on the Employer's Representative's own forecast of the effects of the variation on the Contractor's costs.

#### **Payment Certificates and Final Account**

The Contractor shall be paid after each of the following stages of Work listed herebelow (subject to re-measurement by the Employer's

Representative of the Work done in each stage before payment is made). In case of lump-sum Contracts, the valuation for each stage shall be based on the quantities so obtained in the re- measurement and the rates in the Schedule of Rates.

Advance payment	(percent of Contract Price, [after Contract execution]	to be inserted by the Employer).
First stage (define stage)		
Second stage (define stage	ge)_	
Third stage (define stage	)	
After defects liability per	riod.	

Upon deciding that Works included in a particular stage are complete, the Contractor shall submit to the Employer's Representative his application for payment. The Employer's Representative shall check, adjust if necessary and certify the amount to be paid to the Contractor within 21 days of receipt of the Contractor's application .The Employer shall pay the Contractor the amounts so certified within 30 days of the date of issue of each Interim Certificate.

The Contractor shall supply the Employer's Representative with a detailed final account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Employer's Representative shall issue a Defect Liability Certificate and certify any final payment that is due to the Contractor within 30 days of receiving the Contractor's account if it is correct and complete. If it is not, the Employer's Representative shall issue within 21 days a schedule that states the scope of the corrections or additions that are necessary. If the final account is still unsatisfactory after it has been resubmitted, the Employer's Representative shall decide on the amount payable to the Contractor and issue a Final Payment Certificate. The Employer shall pay the Contractor the amount so certified within 60 days of the issue of the Final Payment Certificate.

If the period laid down for payment to the Contractor upon each of the Employer's Representative's Certificate by the Employer has been exceeded, the Contractor shall be entitled to claim simple interest calculated pro-rata on the basis of the number of days delayed at the

Central Bank of Kenya's average base lending rate prevailing on the first day the payment becomes overdue. The Contractor will be required to notify the Employer within 15 days of receipt of delayed payments of his intentions to claim interest.

#### Insurance

The Contractor shall be responsible for and shall take out appropriate cover against, among other risks, personal injury; loss of or damage to

the Works, materials and plant; and loss of or damage to property.

#### **Liquidated Damages**

The Contractor shall pay liquidated damages to the Employer at the rate 0.001 per cent of the Contract price per day for each day that the actual Completion Date is later than the Intended Completion Date except in the case of any of the occurrences listed under clause 9.2. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.

#### **Completion and Taking Over**

Upon deciding that the Work is complete the Contractor shall request the Employer's Representative to issue a Certificate of Completion of the Works, upon deciding that the Work is completed.

The Employer shall take over the Site and the Works within seven days of the Employer's Representative issuing a Certificate of Completion.

#### **Termination**

The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract. These fundamental breaches of Contract shall include, but shall not be limited to, the following;

the Contractor stops Work for 30 days continuously without reasonable cause or authority from the Employer's Representative;

the Contractor is declared bankrupt or goes into liquidation other than for a reconstruction or amalgamation;

a payment certified by the Employer's Representative is not paid by the Employer to the Contractor within 30 days after the expiry of the payment periods stated in sub clauses 14.2 and 14.3 hereinabove.

the Employer's Representative gives notice that failure to correct a particular defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time.

If the Contract is terminated, the Contractor shall stop Work immediately, and leave the Site as soon as reasonably possible. The Employer's Representative shall immediately thereafter arrange for a meeting for the purpose of taking record of the Works executed and materials, goods, equipment and temporary buildings on Site.

#### **Payment Upon Termination**

The Employer may employ and pay other persons to carry out and complete the Works and to rectify any defects and may enter upon the Works and use all materials on Site, plant, equipment and temporary works.

The Contractor shall, during the execution or after the completion of the Works under this clause, remove from the Site as and when required within such reasonable time as the Employer's Representative may in writing specify, any temporary buildings, plant, machinery, appliances, goods or materials belonging to him, and in default thereof, the Employer may (without being responsible for any loss or damage) remove and sell any such property of the Contractor, holding the proceeds less all costs incurred to the credit of the Contractor.

Until after completion of the Works under this clause, the Employer shall not be bound by any other provision of this Contract to make any payment to the Contractor, but upon such completion as aforesaid and the verification within a reasonable time of the accounts therefor the Employer's Representative shall certify the amount of expenses properly incurred by the Employer and, if such amount added to the money paid to the Contractor before such determination exceeds the total amount which would have been payable on due completion in accordance with this Contract, the difference shall be a debt payable to the Employer by the Contractor; and if the said amount added to the said money be less than the said total amount, the difference shall be a debt payable by the Employer to the Contractor.

#### **Corrupt Gifts and Payments of Commission**

The Contractor shall not;

Offer or give or agree to give to any person in the service of the Employer any gifts or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other contract with the Employer or for showing or forbearing to show favour or disfavour to any person in relation to this or any other contract with the Employer.

Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or

without the knowledge of the Contractor) shall be an offence under the Laws of Kenya.

#### **Settlement of Disputes**

Any dispute arising out of the Contract which cannot be amicably settled between the parties shall be referred by either party to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed by the chairman of the Chartered Institute of Arbitrators, Kenya branch, on the request of the applying party.

	MANDATORY REQUIREMENTS	POINTS
1.	Particulars of the Tendering Company.	Mandatory
	<ul> <li>a) Certified copies of statutory documents as follows: -</li> <li>Certificate of incorporation/registration.</li> <li>Current Tax Compliance certificate.</li> <li>KRA Pin certificate.</li> <li>Valid NCA certificate category 6 and Above for Building works.</li> <li>Valid and current trade/ Business license.</li> <li>Serialized Tender Document and attached documents.</li> <li>Completed confidential business questionnaire and declaration form duly filled, signed and stamped.</li> <li>Disclosure of business ownership (Directors/ Partners /Sole Proprietor). Attach a copy Business CR 12 Form.</li> <li>Bidder to provide self-declaration that the person/tenderer is not debarred in the matter of the public procurement and asset disposal act 2015(As per section 62 of PPDA 2015).</li> <li>Bidder to provide self-declaration that the person/tenderer will not engage in any corrupt or fraudulent practice.</li> <li>Form of tender duly filled, signed and stamped.</li> <li>Provide Tender security which shall be 2% of the tender amount from a reputable bank or insurance companies approved by PPRA and shall be valid for 120 days from the closing date of the tender.</li> <li>TECHNICAL/GENERAL REQUIREMENTS</li> </ul>	
2	Provide Details of; Company Profile (State whether joint or not). (5 Points) Contact person(s). (2 Points) Physical Address/Location. (3 Points)	10
3	Evidence of adequacy of working capital for this Contract Access to line(s) of credit. (3 Points) Indicate appointed bankers showing the name, address, contact person and address of bidder's bankers. (2 Points) Letter of authority from the bidder authorizing the County Government of Lamu to seek reference from the bidder's bankers. (3 Points) Bank statements for the last twelve months. (2 Points)	10
4	Details of experience and past performance on at least two (2) project of a similar nature within the last 3 years (2017-2020), details to include current contractors, names of clients/firms, clear physical address and contact persons. (Attach award letters, Local Purchase/Service Orders, Signed contracts and completion certificates as	26

	Name of the project of similar nature – (@ 5 point * 2 = 10 Points)	
	Address of Project – (@ 1 point $*2 = 2$ Points) Contact persons – (@ 1 point $*2 = 2$ Point)	
	The Project Value- (@ 1 Points * 2= 2 Point)	
	Proof of Such Contracts (Attach award letters/LPOs /LSOs/Signed	
	Contracts and completion certificate. (10 Points)	
5	Documentary evidence for those submitting tenders for this works shall comprise of;	15
	Performance charts, (4 marks)	
	Work plan/schedule (4 marks)	
	c) List of equipment and state if the equipment is owned or leased and	
	attach supporting evidence. (7 Points).	
6	Qualifications and experience of two key site management and two	
	technical personnel proposed to undertake this work. Attach the CVs	8
	and Certificates of qualifications for the key staff (8 points)	
7	Information regarding any litigation, current or during the last five	5
	years, in which the tenderer is involved, the parties concerned and	
	disputed amount if any. (5 points)	
8	Attach Audited Financial Accounts for the last two years. (2018-	6
	2020) (6 marks)	
	TOTAL	80

All information provided may be subject to confirmation by COUNTY GOVERNMENT OF LAMU providing false information will lead to disqualification. **NOTE:** Only tenders that score 60% out of 80% on technical evaluation will qualify to have their proposals for financials evaluated. Those scoring below 60% will be disqualified at this stage. **Award will be given Bidder with the Lowest Quoted Amount.** 

# SECTION V STANDARD FORMS

List of Standard Forms				
Form of Invitation for Tenders				
Form of Tender				
Letter of Acceptance				
Form of Agreement				
Form of Tender Security				
Performance Bank Guarantee				
Performance Bond				
<b>Bank Guarantee for Advance Payment</b>				
Qualification Information				
Tender Questionnaire				
Confidential Business Questionnaire				
(xi) Details of Sub-Contractors				
(xiii) Request for Review Form				

# FORM OF INVITATION FOR TENDERS

	[date]
	[name of Contractor] [address]
Dear Sirs:	
Reference:	[Contract Name]
You have been prequalified to tender	for the above project.
We hereby invite you and other prequabove Contract.	ualified tenderers to submit a tender for the execution and completion of the
A complete set of tender documents r	may be purchased by you from
[mailing address, cable/telex/facsimi	le numbers].
Upon payment of a non-refundable fe	ee of Kshs
All tenders must be accompanied by in the form and amount specified in the	number of copies of the same and a tender security he tendering documents, and must be delivered to
[address and location]	
at or beforethe presence of tenderers' representat	(time and date). Tenders will be opened immediately thereafter, in tives who choose to attend.
Please confirm receipt of this letter in	mmediately in writing by cable/facsimile or telex. Yours
faithfully,	
	Authorized Signature
	Name and Title

			<b>FORM</b>	OF TENDE	R				
TO:		[	Name of En	ıployer)		[Date]	•		
		[N	lame of Co	ıtract]					
Dear Sir,									
	the above named V	Vorks, w the sum	e, the under of Kshs	rsigned offer	to cons	truct, instal	l and co	mplete such V in	
We undertake, if our soon as is reasonal complete the whole Contract.	or tender is accepted bly possible after t	d, to con he recei	nmence the pt of the E	mployer's R	_				
We agre upon us and may be	ee to abide by this e accepted at any ti				[In:	sert date],	and it sh	all remain bir	nding
Unless and until a f thereof, shall consti				cuted this ten	ider toge	ether with y	our wri	tten acceptan	ce
We understand that	you are not bound	to accep	ot the lowes	t or any tend	ler you	may receiv	e.		
Dated this			day of_	20			_		
Signature			_in the capa	city of					
duly	authorized	to	sign	tenders[Nam				behalf Tenderer]	of
XX., XI				lress of Tend					
Witness; Name						_			
Address									
Signature and Stam	np								
Date									
(Amend according)	ly if provided by Ins	surance	Company)			_			

# **LETTER OF ACCEPTANCE**[Letterhead paper of the Employer]

	[date]
To:	
[name of the Contractor]	
[address of the Contractor]	
Dear Sir,	
	number, as given in the Tender documents] for the Contract Price of  [amount in figures][Kenya  [amount in words] in accordance with the Instructions to
You are hereby instructed to proceed with	h the execution of the said Works in accordance with the Contract documents.
Authorized Signature	
Name and Title of Signatory	
Attachment : Agreement	

# FORM OF AGREEMENT

THIS	AGREEMENT,	made	the		d	ay	of	20		
between						_of[or w	hose regi	stered office	is situa	ted
at]										
(hereinafter	r called "the Employe	er") of the	one pa	rt AND	•	Cr.	1	1	cc	
situated at1						oilor	wnose	registered	office	1S
	r called "the Contract	tor") of th	e other	part.						
WHEREAS	S THE Employer is d	esirous th	nat the C	Contractor exe	ecutes					
(name $\overline{and}$	identification numbe	r of Conti	ract ) (h	ereinafter cal	led "the Wo	rks") lo	cated			
at			[Pl	ace/location	of the Wor	rks]and	the Emp	loyer has a	ccepted	the
	nitted by the Contract									
therein for	the Contract Price of	of Kshs_			[A	mount i	n figures]	Kenya Shill,	ings	_
			[An	nount in word	ds].					
NOW THIS	S AGREEMENT WI	TNESSE	TH as fo	ollows:						
	eement, words and ex of Contract hereinaf			ave the same	meanings a	s are res	pectively	assigned to	them in	the
The follow	ing documents shall	be deeme	d to for	n and shall b	e read and co	onstrued	l as part o	f this Agree	ment i.e	
Letter of A	cceptance									
Form of Te	nder									
Conditions	of Contract Part I									
Conditions	of Contract Part II an	nd Appen	dix to C	Conditions of	Contract					
Specification	ons									
Drawings										
Priced Bills	s of Quantities/Priced	l Schedul	e of Rat	es[whichever	is applicabl	le]				
In consider	ration of the payment	s to be ma	ade by tl	ne Employer						

the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.

The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

The common Seal of			
Was hereunto affixed in the presence of			
Signed Sealed, and Delivered by the said			
Binding Signature of Employer			
Binding Signature of Contractor			
In the presence of (i) Name			
Address			
Signature			
[ii] Name			
Address			
Signature			

# FORM OF TENDER SECURITY

WHEREAS	(hereinafter ca	alled "the Tend	derer") has	submitted his tend	er
dated		for	the	construction	of
(name of Contrac	 rt)	•••			
KNOW ALL PEOPLE by these pres(hereinafter called "the "the Employer") in the sum of Kshs the said Employer, the Bank binds itsel the said Bank this Day o	Bank"), are bound unto  If, its successors and assigns of20	for which pa	yment wel	(hereinafter l and truly to be ma	called ade to
If after tender opening the tenderer winto tenderers Or	thdraws his tender during th	ne period of ter	nder validi	ty specified in the	instructions
If the tenderer, having been notified of validity:	f the acceptance of his tende	er by the Empl	oyer durin	ng the period of ten	der
fails or refuses to execute the form of	Agreement in accordance w	ith the Instruc	tions to Te	enderers, if required	i; or
fails or refuses to furnish the Performa	ance Security, in accordance	e with the Instr	ructions to	Tenderers;	
We undertake to pay to the Employer Employer having to substantiate his d claimed by him is due to him, owing to condition or conditions.	lemand, provided that in his	s demand the l	Employer	will note that the a	mount
This guarantee will remain in force up demand in respect thereof should reach	<u> </u>	•	e period of	tender validity, and	d any
[Date [	[signa	ture of the Bar	nk]		
[Witness]		[Seal]			

# PERFORMANCE BANK GUARANTEE

		ne of Employer)	(Date)
	(Add	dress of Employer)	
Dear Sir,			
WHEREAS		(hereinafter called "the Co	ntractor") has undertaken, in pursuance of(hereinafter called "the
	dated	to execute	(hereinafter called "the
Works");			
	ed bank for the sum s		e Contractor shall furnish you with a Bank by for compliance with his obligations in
AND WHEREAS we hav	e agreed to give the C	ontractor such a Bank Gua	arantee:
Contractor, up to a to	otal of Kshs	(amoi	sponsible to you, on behalf of the unt of Guarantee in figures) Kenya unt of Guarantee in words), and we or argument, any sum or sums within the
limits of Kenya Shillings		(amo	or argument, any sum or sums within the unt of Guarantee in words) as aforesaid and for the sumspecified therein.
We hereby waive the necedemand.	essity of your demand	ling the said debt from the	Contractor before presenting us with the
performed thereunder or o	of any of the Contract of	documents which may be n	rms of the Contract or of the Works to be nade between you and the Contractor shall beby waive notice of any change, addition,
This guarantee shall be	valid until the date	of issue of the Certificat	e of Completion.
SIGNATURE AND SEA	L OF THE GUARAN	TOR	
Name of Bank			
Address			
Date	2	'ompany)	
(Amend accordingly if pro	ovided by Insurance C	'ompany)	

#### PERFORMANCE BOND

By this Bond, We	of (or	whose registered	office is situated at]
as Principal (hereinafter called "the Contractor")		registered offic	ce is situated at]
as Surety (hereinafter called "the Surety"), are he	•		of[or whose
registered office at]	e	is	situated
as Obligee (hereinafter called	"the Employer") _[amount of Bond	in the in figures	amount of Kshs. s/Kenya Shillings
[amount of Bond in words], for the payment of withemselves, their heirs, executors, administrators,			•
WHEREAS the Contractor has entered into a Co of20	ntract with the Employer d	ated the the	day execution of
[name of Contract] in accordance with the Contract the extent herein provided for, are by reference in			
NOW THEREFORE, the Condition of this Obli- perform the said Contract (including any amendr it shall remain in full force and effect. Whenever default under the Contract, the Employer having	nents thereto), then this oblar the Contractor shall be,	igation shall be nu and declared by the	all and void; otherwise the Employer to be, in

complete the Contract in accordance with its terms and conditions; or

promptly remedy the default, or shall promptly:

obtain a tender or tenders from qualified tenderers for submission to the Employer for completing the Contract in accordance with its terms and conditions, and upon determination by the Employer and the Surety of the lowest responsive tenderer, arrange for a Contract between such tenderer and Employer and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof.

The term "Balance of the Contract Price", as used in this paragraph, shall mean the total amount payable by the Employer to the Contractor under the

Contract, less the amount properly paid by the Employer to the Contractor; or

pay the Employer the amount required by the Employer to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.

The Surety shall not be liable for a greater sum than the specified penalty of this Bond.

Any suit under this Bond must be instituted before the expiration of one year from the date of issuance of the Certificate of Completion.

No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Employer named herein or the heirs, executors, administrators, successors and assigns of the Employer.

# BANK GUARANTEE FOR ADVANCE PAYMENT

To:			ployer]	(Da	ıte)		
	[add	dress of E	mployer]				
Gentlemen,							
Ref:				_[name of C	Contract]		
In accordance with the provi	isions of the Cond	itions of	Contract of t [name and Ad				
Contractor") shall deposit guarantee to guarantee his p		nerformar	ce under the	said Cont			<i>er]</i> a bank
guarantee to guarantee ms p	[amount of	-	Guarantee	in	figur		Kenya
Shillings				f Guarantee			, J.
We,				•		_	•
and irrevocably to guara		_	and not as yer] on his	-	-		
objection on our part and w	vithout his first cla [amoun		e Contractor, Guarantee			_	Kshs Shillings
					amount of C	<i><b>Suarante</b></i>	e inwords],
such amount to be reduced p	periodically by the ar	mounts re	covered by yo	u from the p	roceeds of	the Contr	act.

be performed th	e that no change or addition to or other modification of the terms of the Contract or of the Works to ereunder or of any of the Contract documents which may be made between
	[name of Employer] and the Contractor, shall in any way release us from any his guarantee, and we hereby waive notice of any such change, addition or modification.
	be made by you under this guarantee until we have received notice in writing from you that an at of the amount listed above has been paid to the Contractor pursuant to the Contract.
•	hall remain valid and in full effect from the date of the advance he Contract until  (name of Employer) receives full payment of the
same amount fr	om the Contract.
Yours faithfully	,
Signature and S	eal
Name of the Ba	nk or financial institution
Address	
Date	
Witness:	Name:
	Address:
Signature:	
	Date:

### **QUALIFICATION INFORMATION**

### **Individual Tenderers or Individual Members of Joint Ventures**

rincipal pla	ace of business	_		
ower of att	torney of signatory of	of tender		
otal annua		ction work performed in		
	Year		Volume	
		Currency V	alue	
		actor on works of a simulation mmitted, including exp		over the last five years. Also lis
	Project name		pe of work Value of	
		and contact person yea	performed and one of	Contract
		person yea	completion	
		<del>                                       </del>	+	
nformation	1.4 Major iter requested below.	ns of Contractor's Equi	ipment proposed for car	rying out the Works. List all
mormation				
	Item of Equipment	Description, Make and age	Condition(new, good, poor) and	Owned, leased (from whom?), or to be
	Equipment	(years)	number available	purchased (from whom?)
			_	wiidii:)
	(e	tc	-	
	.)			
		f key personnel propose	ed for administration an	d execution of the Contract. At
Qualificatio piographica			Years of experience	Years of experience
	Position	Name	i cais of experience	Tours of experience
	Position	Name	(general)	in proposed position
	Position Project Manage		-	in proposed position

	(etc.)					
nancial repor low and attac		years: baland	ce sheets, pro	fit and loss statements	s, auditor's reports, o	etc. List
	cess to financial rand attach copies	esources to n of supportive	e documents.	fication requirements:		of credit,
ame, address ntacted by th	-	lex and facsing	mile numbers	of banks that may pr	ovide reference if	
atement of co	ompliance with th			1.2 of the Instructions	_	
				1 Cd W 1		

Proposed program (work method and schedule) for the whole of the Works.

#### **2 Joint Ventures**

The information listed in 1.1 - 2.0 above shall be provided for each partner venture.

of the joint

The information required in 1.11 above shall be provided for the joint venture.

Attach the power of attorney of the signatory(ies) of the tender authorizing signature of the tender on behalf of the joint venture

Attach the Agreement among all partners of the joint venture (and which is legally binding on all partners), which shows that:

all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms;

one of the partners will be nominated as being in charge, authorized to incur liabilities and receive instructions for and on behalf of any and all partners of the joint venture; and

the execution of the entire Contract, including payment, shall be done exclusively with the partner in charge.

### TENDER QUESTIONNAIRE

Please fill in block letters.	
Full names of tenderer;	
Full address of tenderer to which tender correspondence is to below);	be sent (unless an agent has been appointed
Telephone number (s) of tenderer;	
Telex of tenderer;	
Name of tenderer's representative to be contacted on matters	
Details of tenderer's nominated agent (if any) to receive tender not have his registered address in Kenya (name, address, telep	er notices. This is essential if the tenderer does
Signature of Tenderer	
Make copy and deliver to:	(Name of Employer)

### CONFIDENTIAL BUSINESS QUESTIONNAIRE

You are requested to give the particulars indicated in Part 1 and either Part 2 (a), 2 (b) or whichever applies to your type of business.

You are advised that it is a serious offence to give false information on this Form.

Part 1 – Gen	eral
Business Nar	ne
Location of b	ousiness premises; Country/Town
Plot No	
Postal Addre	ss Tel No
Nature of Bu	siness
Current Trad	e Licence No Expiring date
	alue of business which you can handle at any time: K.
Name of you	r bankers
Branch	
Part 2 (a) – S	Sole Proprietor
Your name in	n full
Nationality	Country of Origin
Citizenship d Part 2 (b) – I	letails Partnership
Give details (	of partners as follows:
Name in full 1	Nationality Citizenship Details Shares
2 3	
Nai	meSign/Company Seal

#### **DETAILS OF SUB-CONTRACTORS**

If the Tenderer wishes to sublet any portions of the Works under any heading, he must give below details of the sub-contractors he intends to employ for each portion.

railure to comply with this requirement may invalidate the	e tender.
Portion of Works to be sublet:	
[i) Full name of Sub-contractor and address of head office:	
(ii) Sub-contractor's experience of similar works carried out in the last 3 years with Contract value:	
Portion of Works to sublet:	
Full name of sub-contractor and address of head office:	
Sub-contractor's experience of similar works carried out	
in the last 3 years with contract value:	
[Signature of Tenderer)	Date

### LETTER OF NOTIFICATION OF AWARD

Employers address	
To:	
RE: Tender No	
Tender Name	
This is to notify that the contract/s stated below under the above mentioned	<u> </u>
Please acknowledge receipt of this letter of notification signifying your acce	
The contract/contracts shall be signed by the parties within 30 days of the data days from the date of the letter.	ate of this letter but not earlier than
You may contact the officer(s) whose particulars appear below on the subject of award.	et matter of this letter of notification
(FULL PARTICULARS)_	

SIGNED FOR ACCOUNTING OFFICER

#### REPUBLIC OF KENYA

### PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NOOF20
BETWEEN
APPLICANT
AND
Request for review of the decision of the
of20in the matter of Tender Noof20
REQUEST FOR REVIEW
I/We,the above named Applicant(s), of address: Physical address
NoTel. NoEmail, hereby request the Public Procurement Administrative Review Board to
review the whole/part of the above mentioned decision on the following grounds , namely:-
1.
2.
etc.
By this memorandum, the Applicant requests the Board for an order/orders that: - 1.
2.
etc
SIGNED(Applicant)
Dated onday of/20
FOR OFFICIAL USE ONLY
Lodged with the Secretary Public Procurement Administrative Review Board on day of
20
SIGNED
Board Secretary

<b>SECTION VI – SPECIFICATIONS</b>	, DRAWINGS AND BI	ILLS OF QUANTITIES/S(	CHEDULE OF
RATES			

**SPECIFICATIONS** 

**DRAWINGS** 

BILL OF QUANTITIES/SCHEDULE OF RATES

TENDER NAME: EXTENSION AND COMPLETION OF

KIZINGITINI ICE PLANT (FAZA

WARD)



### **REPUBLIC OF KENYA**



### **COUNTY GOVERNMENT OF LAMU**

#### **DEPARTMENT OF INFRASTRUCTURE & ENERGY**

PUBLIC WORKS DEPARTMENT

### **TENDER DOCUMENT**

### TENDER NAME: EXTENSION AND COMPLETION OF **KIZINGITINI ICE PLANT**

(FAZA WARD)

TENDER NO.	•••••	•••••	• • • • • •	• • • • •	••		
ISSUED ON:	•••••	2021					
SUBMISSION D	EADLINE:		2021	AT	1100	HOURS	LOCAL

**PROCURING ENTITY: County Government of Lamu** P.O. Box 74-80500 Lamu, Kenya

Tel: + 254-711-736666

Email: lamucountygovernment@yahoo.com

website: www.lamu.go.ke.

ITEM	DESCRIPTION	AMOUNT		
	PARTICULAR PRELIMINARIES			
	PRICING OF ITEMS OF PRELIMINARIES			
	Items described in this section cover the minimum requirements and conditions necessary for the full and proper execution of the contract. The tenderer is required to read and fully understand his obligations under each item and thus asses his costs for complying with the same for the duration of the contract. Should no price be inserted against any item, it shall be assumed that the tenderer has covered any costs associated with that item elsewhere in the Bills of quantities and shall nevertheless be required to comply with such and all items of preliminaries.			
	TENDER VALIDITY			
	The attention of the Tenderers is drawn to clause 3.6 and 3.8 of Conditions of Contract on validity of tender and Tender Security.			
	VALUE ADDED TAX (VAT) AND OTHER TAXES			
	All prices will be inclusive of all statutory taxes and levies, including VAT, necessary for the complete and proper execution of that particular item of the works including complying with all statutory requirements. The amount of VAT payable will be deducted from every payment certified by the Project Manager and paid directly to the Commissioner of VAT.			
	SCOPE OF CONTRACT			
	The work to be carried out under this contract comprises of EXTENSION AND COMPLETION OF KIZINGITINI ICE PLANT together with the associated works for the Department of Veterinary & Livestock as described in these Bills of Quantities and in accordance with the contract drawings and any other drawings which may be issued in amplification thereof.			
	DESCRIPTION OF THE WORKS			
	The works generally comprise of IT roofing Sheets on steel trusses.			
	The floors are finished in cement sand screeds while the walls are plastered and painted.			
	FLOOR AREAS			
	The gross floor area is 98 Square Meters Each. The overall floor area is measured over walls and is given without warranty but for guidance only.			
	LOCATION OF SITE			
	The site for the works is located in Faza Ward. The tenderer shall be deemed to have visited the site and familiarize themself with all site conditions prior to submission of tenders.			
	EXISTING BUILDINGS			
	Special precautions shall be required throughout the contract period to avoid damage to the existing structures, roads, lawns, cables, drains and other services.			
	The Contractor shall allow for making good any damage arising from his actions during execution of this contract at his own expense.			
	CARRIED TO COLLECTION PAGE: PARTICULAR PRELIMINARIES			
<u> </u>	STATES TO STEED TON THOSE THE TREE MINISTRICE			

М	DESC	RIPTION		AMOUNT			
	GENE	RAL					
		The contractor is referred to the General Specifications for Building Works 1976 Edition and must allow for all costs in complying with these specifications.					
	CONT	CONTRACT COMPLETION PERIOD					
	"PROJI necessa satisfac	ne contract completion period in accordance with Clause 31 of the conditions of contract must be strictly adhered to. The PROJECT MANAGER" shall strictly monitor the Contractor's progress in relation to the progress chart and should it be found accessary, the "PROJECT MANAGER" shall inform the Contractor in writing that his actual performance on site is not tisfactory. In all such cases, the Contractor shall accelerate his rate of performance, production and progress by all means ch as additional labor, plant etc. and working overtime all at his cost.					
	PARTI	PARTICULARS OF INSERTIONS TO BE MADE IN THE APPENDIX TO CONTRACT AGREEMENT					
	The fol	lowing are insertions to be made	in the appendix to the Contract Agreement.				
	(i)	Period of final measurement - 6 [Condition 32]	6 Months from practical completion date				
	(ii)	Defects Liability Period [Condition 20]	- 6 Months from practical completion date				
	(iii)	Date for Possession [Condition 14]	- To be agreed with "PROJECTMANAGER"				
	(iv)	Date of Completion [Condition 31]	- To be agreed with "PROJECT MANAGER"				
	(v)	Liquidated and Ascertained Damages Clause 24 [Condition 27]	- At the rate of Kshs.20,000/= per week or part thereof				
	(vi)	Period of Interim Certificates [Condition 23]	- Monthly				
	(vii)	Period of Honoring Certificates [Condition 23]	s - Thirty (30) Days				
	(viii)	Percentage of Certified value r [Condition 26]	retained - 10%				
	(ix)	Limit of retention fund [Condition 26]	- 5%				
	(x)	Bond [Condition 28]	The Bond required shall be from an approved bank ONLY				
	PROJE	ECT MANAGEMENT EXPEN	SES				
		or project management expenses cted in whole or in part as the car	s including transport, airtime and Lunches to be used as directed by the Project Manager see may be.				
ヿ	CARR	IED TO COLLECTION PAGE	GE: PARTICULAR PRELIMINARIES				

ITEM	DESCRIPTION	AMOUNT			
	LABOUR CAMPS				
	The Contractor shall not be permitted to house labor on the site and he must take full responsibility for transporting labour daily to and from the site as required and the cost of this shall be included in his tender.				
	OFFICE FOR THE "PROJECT MANAGER"				
	The site office mentioned in item B page GP/7 of the General Preliminaries shall be type "B" as shown on the Ministry of Works Standard Detail. The contractor shall insure the office and furniture against fire, theft and natural calamities and provideday and night security. He shall also provide and maintain adequate access and parking acceptable to the PROJECT MANAGER.				
	TELEPHONE				
	The contractor shall provide telephone facilities (fixed or mobile) on site throughout the duration of the contract for use by the Project Manager. He shall also maintain the phone in permanent working condition and pay all charges for the duration of the Contract.				
	SIGN BOARD				
	Allow for providing, erecting, maintaining throughout the course of the contract and after clearing away a signboard as				
	designed, specified and approved by the Project Manager.				
	HOARDING				
	Hoarding shall not be erected				
	PROGRAMME PROGRESS CHART				
	The Contractor shall allow for providing within <b>One</b> (1) week after the date of possession of the site and in agreement with the "PROJECT MANAGER" a progress chart for the whole of the works. One copy shall be forwarded to the "PROJECT MANAGER" and another copy shall be retained on site on which progress shall be recorded by the Contractor. Should any circumstance arise affecting the program or progress, the chart shall be modified as necessary in consultation with the "PROJECT MANAGER".				
	PERFORMANCE SECURITY (BOND)				
	The Contractor should note that the Performance Security to be provided must be in form of a bank guarantee in the amount of 5 % of the Contract Sum. The form to be signed is M.O.W. 118 or any other format acceptable to the Employer.				
	PAYMENTS TO DOMESTIC SUBCONTRACTORS				
	The Main Contractor shall be fully responsible for paying his Domestic Sub -Contractors but the Government reserves the right in very exceptional circumstances to make such payments direct in the interest of the project, where completion thereof might be jeopardised by any dispute between any of the Contractors and Sub -Contractors involved.				
	APPENDICES				
	The Appendices to the Bills of Quantities shall be regarded for contract purposes as part of the Bill and shall be read and construed with the appropriate sections of the Bills if contained therein.				
	CARRIED TO COLLECTION PAGE: PARTICULAR PRELIMINARIES				

ITEM	DESCRIPTION	AMOUNT
	SUFFICIENCY OF TENDER	
	The main Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices stated in the Bills of Quantities which rates and prices shall cover all his obligations under the contract and all matters and things necessary for the proper completion of the works.	
	GENERAL SPECIFICATIONS	
	For the full description of materials, workmanship and method of execution of the works, the Contractor is referred to the Ministry of Works General specifications for building works dated 1976 or any subsequent revision thereof which is issued as a separate document and which shall be followed in all respects unless it conflicts with the General and Particular Preliminaries, Trade Preambles or other items in these Bills of Quantities. In the event of such conflict, then the provisions of the General and Particular Preliminaries, Trade Preambles and these Bills of Quantities take precedence.	
	TRAINING LEVY	
	The Contractor's attention is drawn to Legal Notice No. 237 of October 1971 which requires payment by the Contractor of a Training levy at the rate of 1/4 % of the Contract Sum on all Contracts of more than Kshs. 50,000.00 in value.	
	MATERIALS ON SITE	
	All materials for incorporation in the works must be stored on or adjacent to the site of the works before payment is effected by the "PROJECT MANAGER". This is to include the materials of the Main Contractor, Sub - contractors and Nominated Suppliers.	
	SECURITY AND ACCESS TO THE SITE	
	The Contractor must include in his tender for all necessary expenditure incurred in complying with the security regulations of the Department of Fisheries, Livestock & Cooperative especially in relation to entry and exit from the site of the works and movement within the site.	
	SECURITY	
	The Contractor shall be responsible for ensuring that all personnel of non-Kenyan origin employed on site by him or his sub- contractors or who are otherwise connected with the construction of contract through the Contractor must be approved and cleared to work on the project individually in writing by the relevant Government Agencies.	
	Where personnel are not approved, the Contractor shall be responsible at his own expense for obtaining and employing suitable and approved personnel.	
	The Contractor shall be responsible for ensuring that all matters including drawings, letters and documentation relating to the project are dealt with confidentiality.	
	He will be expected to post notices on site instructing his employees to treat all matters relating to the project as confidential.	
	NUISANCE	
	The Contractor shall not directly or indirectly or otherwise by himself or through his agents cause nuisance. Should he do so he shall be directly responsible for such acts?	
	CARRIED TO COLLECTION PAGE: PARTICULAR PRELIMINARIES	

ITEM	DESCRIPTION	AMOUNT
	COLLECTION PAGE: PARTICULAR PRELIMINARIES	
	Balance brought forward frompage PP/1	
	Balance brought forward frompage PP/2	
	Balance brought forward frompage PP/3	
	Balance brought forward frompage PP/4	
Total for I	Particular Preliminaries Carried to Summary Page (PRELIMINARIES)	

ITEM	DESCRIPTION	AMOUNT			
	GENERAL PRELIMINARIES				
	PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES				
	No Prices will be inserted against items of Preliminaries and Preambles in the Contractor's priced Bills of Quantities and Specification. The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract.				
	ABBREVIATIONS				
	Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted				
	as follows:-				
	C.M. Shall mean cubic metre				
	S.M. Shall mean square metre				
	L.M. Shall mean linear metre				
	mm Shall mean Millimetre				
	KG Shall mean Kilogramme				
	No. Shall mean Number				
	PRS. Shall mean Pairs				
	B.S. Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England.				
	ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs.				
	m.s. Shall mean measured separately.				
	a. b. d Shall mean as before described				
	EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT				
	Attendance Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:-				
	Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power: and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub- Contractors' work and being responsible for the accuracy of the same.				
	CARRIED TO COLLECTION PAGE: GENERAL PRELIMINARIES				

ITEM	DESCRIPTION	AMOUNT
	Fix Only:-	
	"Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.	
	EMPLOYER	
	The Employer is the County Government of Lamu. The terms "Employer" and "County Government" whoever used in any contract document shall be synonymous.	
	PROJECT MANAGER	
	The term "Project Manager." wherever used in these Bills of Quantities shall be deemed to imply the Project Manager as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorized to represent him on behalf of the County Government.	
	FORM OF CONTRACT	
	The form of contract will be the one included in the Republic of Kenya Standard Tender Documents for Procurements of Works (2000 Edition) hereby attached and the Conditions of Contract are those attached thereto. If the contractor considers that the compliance with any of the Conditions of Contract involves any expenses he will distribute them among his rates for the various items in the Bills of Quantities. No claim shall be allowed arising from the Contractors Compliance with any of the conditions of Contract. These are numbered from 1 to 26 as set out on pages 18 to 27 of these tender Documents. Particulars of the insertions to be made in the Appendix of the Contract Agreement will be found in the Particular Preliminaries of these Bills Of Quantities.	
	BOND.	
	The Contractor shall find and submit on the Form of Tender the name of one surety who shall be an approved bank and who will be willing to be bound to the County Government of Lamu in and amount equal to Five percent (5%) of the Contract amount for the due performances of the Contract up to the date of completion as certified by the PROJECT MANAGER and who will when and if called upon sign a Bond to that effect on Ministry of Public Works Form No. 118 (without the addition of any limitations).	
	PLANT, TOOLS AND VEHICLES	
	Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.	
	TRANSPORT.	
	Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.	
	MATERIALS AND WORKMANSHIP.	
	All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are on site when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.	
	CARRIED TO COLLECTION PAGE: GENERAL PRELIMINARIES	

ITEM	DESCRIPTION	AMOUNT
	SIGN FOR MATERIALS SUPPLIED.	
	The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the "PROJECT MANAGER" at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the "PROJECT MANAGER"	
	STORAGE OF MATERIALS	
	The Contractor shall provide at his own risk and cost where directed on the site weatherproof lockup sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use.	
	SAMPLES	
	The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Roads and Public Works. The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER. The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors work.	
	GOVERNMENT ACTS REGARDING WORKPEOPLE ETC.	
	Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople. The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labor, labor camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organization of the works, supply and control of labor, etc. And allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.	
	SECURITY OF WORKS ETC.	
	The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.	
	PUBLIC AND PRIVATE ROADS.	
	Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER	
	CARRIED TO COLLECTION PAGE: GENERAL PRELIMINARIES	

ITEM	DESCRIPTION	AMOUNT
	EXISTING PROPERTY.	
	The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER.	
	VISIT SITE AND EXAMINE DRAWINGS.	
	The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.	
	ACCESS TO SITE AND TEMPORARY ROADS.	
	Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the "PROJECT MANAGER".	
	AREA TO BE OCCUPIED BY THE CONTRACTOR	
	The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the "PROJECT MANAGER"	
	OFFICE ETC. FOR THE PROJECT MANAGER	
	The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the Site Office of the type noted in the Particular Preliminaries, complete with furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up pedestal type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide the services of cleaner and pay all conservancy charges and keep both office and keep both office and closet in a clean and sanitary condition from the commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by thebe the PROJECT MANAGER a modern and accurate level together with leveling staff, ranging rods and 50 meter metallic or linen tape.	
	WATER AND ELECTRICITY SUPPLY FOR THE WORKS	
	The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER. The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements or augmenting this supply at his own cost. Nominated sub-contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.	
	CARRIED TO COLLECTION PAGE: GENERAL PRELIMINARIES	

ITEM	DESCRIPTION	AMOUNT
	SANITATION OF THE WORKS	
	The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labor Department and the PROJECT MANAGER	
	SUPERVISION AND WORKING HOURS	
	The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract. The working hours shall be those generally worked by good employees in the Building and Civil Engineering trades in Kenya. No work shall be carried out at night or on gazzeted holidays unless the PROJECT MANAGER shall direct so. No work shall be covered up nor shall any concreting be carried out in the absence of the Clerk of Works without prior approval of the PROJECT MANAGER in writing.	
	PROVISIONAL SUMS.	
	The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement Such sums are net and no addition shall be made to them for profit.	
	PRIME COST (OR P.C.) SUMS.	
	item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute	
	PROGRESS CHART.	
	The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub- Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.	
	ADJUSTMENT OF P.C. SUMS.	
	In the final account all P.C. Sums shall be deducted and the amount properly expended upon the D.R's order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them. Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.	
-	CARRIED TO COLLECTION DACE, CENTRAL PRELIMINARIES	
	CARRIED TO COLLECTION PAGE: GENERAL PRELIMINARIES	

ITEM	DESCRIPTION	AMOUNT
	ADJUSTMENT OF PROVISIONAL SUMS.	
	In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued as described for Variations in Conditions No. 22 of the Conditions of Contract, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.	
	NOMINATED SUB-CONTRACTORS	
	When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts as described in Condition No. 20 of the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".	
	DIRECT CONTRACTS	
	Notwithstanding the foregoing conditions, the County Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In the instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.	
	ATTENDANCE UPON OTHER TRADESMEN, ETC.	
	The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.	
	INSURANCE	
	The Contractor shall insure as required in Conditions Nos. 22 and 23 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.	
	PROVISIONAL WORK	
	All work described as "Provisional" in these Bills of Quantities is subject to re-measurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.	
	CARRIED TO COLLECTION PAGE: GENERAL PRELIMINARIES	

ITEM	DESCRIPTION	AMOUNT
	ALTERATIONS TO BILLS, PRICING, ETC.	
	Any unauthorized alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.	
	BLASTING OPERATIONS	
	Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.	
	MATERIALS ARISING FROM EXCAVATIONS	
	MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used	
	PROTECTION OF THE WORKS.	
	Provide protection of the whole of the works contained in the Bills of Quantities, including casing, casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.	
	REMOVAL OF RUBBISH ETC.	
	Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.	
	WORKS TO BE DELIVERED UP CLEAN	
	Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts ofmetalwork and leave the whole the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER	
	GENERAL SPECIFICATION.	
	For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects, unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.	
	TRAINING LEVY	
	The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value.	
	MATERIALS ON SITE	
	All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This is to include the materials of Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.	
	CARRIED TO COLLECTION PAGE: GENERAL PRELIMINARIES	

ITEM	DESCRIPTION	AMOUNT
	COLLECTION PAGE: GENERAL PRELIMINARIES	
	Brought forward from page GP/6	
	Brought forward from page GP/7	
	Brought forward from page GP/8	
	Brought forward from page GP/9	
	Brought forward from page GP/10	
	Brought forward from page GP/11	
	Brought forward from page GP/12	
	Total for General Preliminaries Carried to Summary Page (PRELIMINARIES)	

ITEM	DESCRIPTION	AMOUNT
	SUMMARY PAGE: PRELIMINARIES	
	Balance brought forward from page GP/5	
	Balance brought forward from page GP/13	
	Total for Preliminaries Carried to Grand Summary	

### BILL OF QUANTITIES

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.1				23111
	Demolition				
А	Carefully remove roof covering and store as directed	65	SM		
В	Ditto roofing timbers	1	ITEM		
С	Carefully demolish 200mm thick walls	60	SM		
D	Carefully remove floor tiles and desposed as directed by PM	42	SM		
E	Carefully demolish prefubricated panels, store for re-use	1	ITEM		
F	Carefully remove the control panel, generator and the Ice making machine store for reused.	2	NO		
	TOTAL FOR DEMOLITION CARRIED TO SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.2				
	<u>SUBSTRUCTURES</u>				
	(ALL PROVISIONAL)				
	EXCAVATIONS AND EARTHWORKS				
А	Clear site of all bushes, shrubs, grass, small tress etc including grubbing up the roots and cart away.	130	SM		
	Branching up the roots and care away.	130	Sivi		
В	Excavate over site average 150mm deep and wheel and deposit on site as directed	130	SM		
	Excavate foundation trenches not exceeding 1.5m deep				
С	commencing from stripped level.	72	CM		
D	Return fill and ram.	42	СМ		
Е	Remove surplus excavated material from site.	130	СМ		
F	300mm thick approved hardcore well compacted in layers not				
-	exceeding 150mm deep.	30	SM		
G	50mm thick murram blinding to surface of hardcore.	130	SM		
I	Apply "Termidor" or any other similar and approved anti termite chemical treatment on blinded surfaces.	SM	105		
J	500 gauge polythene sheeting with sides and end laps as described laid on blinded surfaces	SM	105		
	Carried to Collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT		
	SUBSTRUCTURES-(CONTINUED)						
	Plain concrete (1:4:8) in						
		CN4	40				
А	50mm Thick blinding to foundation	SM	40				
	Vibrated reinforced concrete grade 25/20 (1:1.5:3) in:						
В	Strip footing and ground beam.	CM	16				
С	150mm Thick ground bed	SM	105				
	Sawn formwork to:						
D	Sides of strip footing	SM	25				
E	Edges of floor bed 75 - 150mm high	LM	61				
	Steel reinforcement as described including cutting to length,						
	bending and fixing including all necessary tying wires and spacing blocks (all provisional)						
	8mm Diamer high tensile square twisted steel bar	KG	286				
F	10mm Ditto	KG	207				
G	12mm Ditto	, KG	207				
Н	Steel fabric mesh reinforcement to B.S. 4483	KG	255				
ı	No. A 142 fabric weighing 2.22Kg/sm fixed in bed	SM	105				
	Natural stone walling in cement and sand (1:3) mortar and including reinforcing with 20 x 3mm thick hoop iron in every alternate course.						
J	200mm Thick walling	SM	105				
	<u>Plinths</u>						
К	12mm thick cement and sand (1:3) render to plinths	SM	36				
L	Prepare and apply three coats bituminous paint to rendered plinths	SM	36				
	Carried to Collection						

ITEM	DESCRIPTION		QTY	UNIT	RATE	AMOUNT
	SUBSTRUCTURES-(CONTINUED)					
Α	Allow for keeping the whole of the excavat draining or other wise keeping all works free					
	entire contract period	se from water as necessary ove	ITEM			
В	Allow for maintaining and upholding sides	of excavations and keening				
	excavations clear of all fallen materials, rul		ITEM			
	Paving Slabs around building					
С	600 x 600 x 50mm thick precast concrete p cement and sand (1:4) mortar laid on and i					
	. ,		SM	66		
	Carried to Collection below					
	COLLECTION					
	FROM PAGE 2					
	FROM PAGE 3					
	FROM ABOVE					
	TOTAL FOR ELEMENT NO. 2 C.	ARRIED TO				
		SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT		
	ELEMENT NO. 3						
	REINFORCED CONCRETE SUPERSTRUCTURE						
	Vibrated reinforced concrete grade 25/20 (1:1.5:3) in:						
А	Ring beams	СМ	6				
В	Columns	СМ	2				
	Sawn formwork to:						
С	Sides and soffites of beams	SM	65				
D	Sides of columns.	SM	5				
	Steel reinforcement as described including cutting to length, bending, hoisting and fixing including all necessary tying wires and spacing blocks (all provisional) High tensile square twisted bars						
E	8mm Diameter bars	KG	124				
F	12mm Ditto	KG	318				
	<u>Sundries</u>						
G	Make or leave 75mm diameter hole through 100mm thick reinforced concrete	NO	3				
Н	75mm Diameter X 125mm long PVC pipe sleeve outlet	NO	6				
	TOTAL FOR ELEMENT NO.3 CARRIED TO SUMMARY						

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 4				
	WALLING				
Α	200 mm wide approved quality 3-ply bituminous felt damp proof				
	course under walls	LM	55		
В	100 mm thick Ditto	LM	34		
	Smooth chisel dressed natural stone walling in cement and sand (1:4) mortar reinforced with and including 25 x 3mm thick hoop iron in every alternate course				
С	200mm Thick walling externally	SM	145		
	Medium chisel dressed natural stone walling in cement and sand (1:4) mortar reinforced with and including 25 x 3mm thick hoop iron in every alternate course				
D	200mm Thick walling internally	SM	26		
	<u>Linte</u> l				
E	225 x 225 x 100mm thick concrete lintel reinforced with D12 as main bara and D8 as links and including all necessary formwork	LM	17		
	Permanent ventilation				
F	Pair of permanent ventilation size 225 x 225 x 25mm pre cast vents blocks fixed with and including mosquito wire gauze	NO	22		
G	Leave or form an opening in 200mm thick wall size 600 x 1200mm wide	NO	22		
н	Eave filling to 200mm thick wall extreme height 300mm	LM	30		
	TOTAL FOR ELEMENT NO. 4 CARRIED TO	<u>I</u>	<u> </u>	<u> </u>	
ł	(WALLING) SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.5	-			
	ROOFING				
Α	Supply and fix new gauge 26 pre-painted Aluminium Zinc boxed profile IT5 roofing sheets as "MRM"	SM	140		
	stanadrd or equal and approve include				
В	Ridge cap to match.	LM	20		
			4		
С	Filled end of ridge cap with cement and sand (1:3) mortar	NO	4		
	Trusses (All timber work is provisional)				
	The following in pressure impregnated first grade cypress timber				
D	150 x 50mm Rafters	LM	148		
E	Ditto tie beams	LM	108		
F	Ditto king post	LM	135		
G	100 x 50mm struts and ties	LM	135		
	75 x 50mm purlins	LM	200		
ı	The following in second grade celcured and well seasoned cypress				
	timber				
	100 x 50 mm wall plate bolted to wall with and including 12mm	LM	36		
J	diameter bolts 60mm long at 1000mm centres				
	200 x 50mm Ridge board	LM	21		
K	Bore hole in 50mm thick timber for 12mm diameter bolts	NO	20		
L	Bore note in Somm thick timber for 12mm diameter boils	NO	28		
М	Make mortice in reinforced concrete for 12mm diameter bolts	NO	28		
	Carried to Collection				
	l				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ROOFING - (CONTINUED)				
	<u>Fascia Board</u>				
А	225 x 25 mm thick wrot cypress fascia /barge boards fixed to end of rafters (m/s)	LM	60		
	Rain water goods				
	<u>Gutters</u>				
В	100mm hulf round PVC gutter fixed to fascia boards (m/s) with and including approvedPVC brackets at 1000mm centres	LM	36		
С	Extra over gutter for stopped ends	NO	4		
D	Ditto but for 100 mm diameter outlet	NO	4		
	<u>Downpipe</u>				
E	100 mm diameter hulf round PVC downpipe fixed to wall with and including holder butts at 1000mm centres	LM	16		
F	Extra over downpipe for swanneck 1200mm long	NO	4		
G	Ditto horse shoe 300 mm long	NO	4		
	Decoration and painting				
	Knot, stain prepare and apply three coats oil gloss paint to:				
Н	General surfaces of timber	SM	60		
ı	Surfaces of timber 200-300mm girth	LM	121		
	Total Curried to collection				
	COLLECTION				
	FROM PAGE 7				
	FROM ABOVE				
	TOTAL FOR ELEMENT NO. 5 (ROOFING) CARRIED TO SUMMARY	1	<u> </u>		

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.6				
	HARDWOOD DOORS				
	Panel doors				
А	Door overal size 1800 x 2250mm high hardwood double leaf shutter	NO	2		
В	Door overal size 900 x 2250mm high hardwood single leaf shutter	NO	1		
С	Door overal size 800 x 2120mm high hardwood single leaf shutter	NO	2		
	Wrot Mahogany or other equal and approved :-				
D	150mm x 50mm Frame with two labours plugged	LM	19		
E	Ditto transome	LM	5		
F	Ditto mullion	LM	5		
G	32 X 60mm Architrave	LM	19		
Н	25mm diameter quadrant	LM	19		
	PERMANENT VENTS				
1	15 x 90mm hardwood timber louvre fixed on rake as permanent vent on top of all doors	LM	22		
J	Approved plastic mosquito proofing on 12 gauge wire mesh	SM	3		
К	15 x 45mm hardwood timber beading to mesh wire and glass panel (ms)	LM	16		
L	Rebated mortice 3 lever lock as "Union" or other approved	NO	2		
М	200mm Long Brass Padbolt.	NO	2		
N	100mm Heavy Duty pressed brass coated butt hinges	PRS	12		
0	38mm diameter rubber door stop fixed to floor with rowbolt	NO	4		
	Sundries				
P	$200 \times 25 \times 3$ mm mild steel door fixing cramp once bend and twice drilled one end built into blockwork and other end screwed to wood	NO	12		
	Carried to Collection	<u> </u>			

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	DOORS - (CONTINUED)				
	Painting				
А	Prime back of wood before fixing	LM	19		
	Knot, prime, prepare and apply three coats gloss oil paint to: General surfaces of				
В	timber	SM	15		
С	Surfaces 100mm to 200mm girth	L	19		
	Prepare and apply three coats gloss oil paint to:				
D	General surfaces of metal	SM	5		
	Carried to Collection				
	COLLECTION				
	FROM PAGE 9				
	FROM ABOVE				
	TOTAL FOR ELEMENT NO. 6 CARRIED TO (DOORS) SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT		
	ELEMENT NO.7						
	<u>WINDOWS</u>						
	Wrot Hardwood The following in timber shutter windows as per detail						
А	150 x 50mm framing fixed to walls 150 x	LM	14				
В	50mm ditto mullion.	LM	3				
С	150x25mm window shutter frame 70x15mm	LM	6				
			6				
D	timber louvres fixed in groove <b>12gauge mesh</b>	LM					
	wire						
Е	12 gauge mesh wire on plastic mosquito proofing nailed to window frame and vents (ms) externally.	SM	12				
F	Mosquito wire gauze/proofing.	SM	12				
G	15x45mm hardwood timber beading to mesh wire.	LM	142				
н	15mm diameter mild steel rod horizontal bars cut and fitted into timber frame (holes M.S )	LM	13				
1	P.V.C sheething to burglar proofing bars (M.S.)	LM	13				
	PAINTING		14				
J	Prime back of wood surface before fixing.	LM	17				
	Knot, Prime, Stop, and Apply Three coats of of clear varnish on woodwork.						
К	Surface not exceeding 100mm girth frame externally. Ditto surfaces	LM	4				
L	100-200mm girth	LM	6				
		LIVI					
	TOTAL FOR ELEMENT NO. 7 CARRIED TO						
	(WINDOWS) SUMMARY						

ITEM	DESCRIPTION		QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 8					
	EXTERNAL FINISHINGS					
	Wall finishes					
Α	20mm thick cement and sand (1:5) woo	od float Render to walls.	SM	171		
	Prepare and Apply Three Coats First G	rade Plastic Emulsion Paint onto.				
	Rendered walls					
В	Gauge 24 galvanised iron sheet		SM	171		
	Metal flashing 750mm girth					
С			LM	6		
	TOTAL FOR ELEMENT NO. 8	CARRIED TO		<u> </u>	<u> </u>	
	(EXTERNAL FINISHES)	SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 9				
	INTERNAL FINICIPE				
	INTERNAL FINISHES				
	FLOOR FINISHES				
	Cement and sand (1:4) paving steel trawelled smoothwood floated on concrete				
	<u>to:-</u>				
А	40mm thick floor paving to receive tiling.	SM	105		
В	300x300x10mm 'SAJ CERAMIC' or other approved coloured ceramic non-slip floor tiles bedded and jointed in cement sand mortar and pointed in coloured cement grouting.	SM	105		
С	Ditto 200x10mm thick skirting.	LM	15		
D	Ceiling 50 X 50mm celcured cypress timber brandering Ditto but	LM	300		
Е	plugged	LM	61		
F	10mm thick Chip board ceiling nailed to timber brandering (m/s)	SM	65		
G	Extra over chip board ceiling for trap door size 600 x 450mm wide comprising with and including 50 x 50mm timber framing	NO	2		
Н	100 x 25mm Thick wrot softwood moulded cornice	LM	61		
ı	Prepare and apply three coats first grade plastic emulsion paint to: chip board ceiling surfaces	SM	65		
J	Timber surfaces not exceeding 100mm girth Walls  Cement and sand (1:4) backing  15 mm thick to receive white glazed wall tiles	LM	61		
К	White glazed ceramic tiles bedding and jointing in cement and sand (1:3) mortar and flush pointed with white cement:	SM	93		
	150 x 150 x 6mm Thick tiles				
L	Cement and sand (1:3) plaster 12mm thick to wall surfaces	SM	93		
М	Prepare and apply three coats silk venly emulsion paint to:	SM	96		
	Plastered walls				
N		SM	96		
	TOTAL FOR ELEMENT NO. 9 CARRIED TO  (INTERNAL FINISHES) SUMMARY	I	1		
					l

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.10				
	ELEWIENT NO.10				
	CONCRETE WORKTOPS				
	(ALL PROVISIONAL)				
	The following in concrete worktops size 5200 x 600 x 1300mm high				
Α	100mm thick coral block walling. 100mm thick	SM	14		
В	concrete (1:3:6) benching	SM	6		
С	100mm Thick reinforced concrete worktop	SM	6		
D	Steel fabric mesh reinforcement No. A142 weighing 2.22Kg/sm <u>Sawn</u>	SM	6		
	<u>formwork</u>				
			6		
E	Soffites of worktop	SM			
F	Edges of benching 75 - 150mm high Ditto	LM	10		
G	worktop n.e 100mm girth <u>Finishes</u>	LM	14		
	worktops.				
G	Ditto but partition walls.	SM	6		
н	Ditto but to soffits of worktops. <u>Cement</u>	SM	4		
1	and sand (1:4) backing	SM	6		
	15 mm thick to receive white glazed wall tiles				
J	White glazed ceramic tiles bedding and jointing in cement and sand 150 x 150 x	SM	9		
	6mm Thick tiles				
14		SM	9		
K	Prepare and apply three coats first grade silk vinyl emulsion paint to plastered soffites of worktop	SIVI			
L	·	SM	6		
	TOTAL FOR ELEMENT NO. 10 (CONCRETE WORKTOPS) CURRIED TO SUMMARY	<u> </u>	<u> </u>	<u>I</u>	
	TECHTELE MOUNTOL OF COUNTED TO SOLVINIANT				I

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.11				
	FISH HANGING RAILING				
A	40 x 40 x 3mm Thick deep galvanized RHS anchors bedded to concrete with cement ans sand (1:3) mortar	NO	16		
В	75mm diametre deep Galvanized pipe welded onto anchors.	LM	30		
	<u>Sundries</u>				
С	Make holes in walling slab size 75 x 75 x 50mm deep Metal grating	NO	8		
	50x50x3mm thick angle embedded on edge of drainage channel.				
D	Steel grating consisting of 50x50x3mm thick frame, 10mm thick flat plate welded at 50mm intervals.	LM	30		
E		LM	30		
	TOTAL FOR ELEMENT NO. 11 CARRIED TO (FISH HANGING RAILS) SUMMARY		ı	l	

ELEMENT NO.12  FOUL WATER DRAINAGE Soil drains  A Excavate trench not exceeding 1500m deep, average 1.0m, part return, part load and cart away.  B 100mm diameter u.p.v.c. pipe in trenches  Manholes:  C Construct manhole to M.O.P.W.drawing Nos (50) 5300- (50) 5303 including all excavitions, construction, benching, channels, manhole cover and frame.  The following is 1 No. soak pits  Excavate pit not exceeding 1.50m deep Ditto  D 1.50 - 3.00 metres deep  E Ditto 3.00 - 4.50m deep  F Ditto 4.50 -6.00m deep  G M 5  Ditto 6.00 -7.50m deep  E Extra over for excavating in rock  K CM 6  Remove surplus excavated material from site Plain  K Concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M Claimeter steel bars	
FOUL WATER DRAINAGE Soil drains  A Excavate trench not exceeding 1500m deep, average 1.0m, part return, part load and cart away.  B 100mm diameter u.p.v.c. pipe in trenches  Manholes:  C Construct manhole to M.O.P.W.drawing Nos (50) 5300- (50) 5303 including all excavtions, construction, benching, channels, manhole cover and frame.  The following is 1 No. soak pits  Excavate pit not exceeding 1.50m deep Ditto  D 1.50 - 3.00 metres deep  E Ditto 3.00 - 4.50m deep  F Ditto 4.50 -6.00m deep  G CM 5  Ditto 6.00 -7.50m deep  Extra over for excavating in rock  K Remove surplus excavated material from site Plain  C CM 1  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars	
Soil drains   Excavate trench not exceeding 1500m deep, average 1.0m, part return, part load and cart away.   S	
Excavate trench not exceeding 1500m deep, average 1.0m, part return, part load and cart away.  B 100mm diameter u.p.v.c. pipe in trenches  Manholes: Construct manhole to M.O.P.W.drawing Nos (50) 5300- (50) 5303 including all excavitions, construction, benching, channels, manhole cover and frame.  The following is 1 No. soak pits Excavate pit not exceeding 1.50m deep Ditto  CM 6  Ditto 3.00 - 4.50m deep  E Ditto 4.50 -6.00m deep  G Ditto 4.50 -6.00m deep  CM 5  Ditto 6.00 -7.50m deep  E Extra over for excavating in rock  Remove surplus excavated material from site Plain  K concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars	
B 100mm diameter u.p.v.c. pipe in trenches  Manholes: C Construct manhole to M.O.P.W.drawing Nos (50) 5300 (50) 5303 including all excavtions, construction, benching, channels, manhole cover and frame.  The following is 1 No. soak pits Excavate pit not exceeding 1.50m deep Ditto  D 1.50 - 3.00 metres deep  E Ditto 3.00 - 4.50m deep  F Ditto 4.50 - 6.00m deep  G Ditto 4.50 - 6.00m deep  CM 5  Ditto 6.00 - 7.50m deep  H Extra over for excavating in rock  K Remove surplus excavated material from site Plain  K concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars  L M 30  NO 2  CM 6  CM 6  CM 6  CM 5	
Manholes:  Construct manhole to M.O.P.W.drawing Nos (50) 5300- (50) 5303 including all excavitions, construction, benching, channels, manhole cover and frame.  The following is 1 No. soak pits  Excavate pit not exceeding 1.50m deep Ditto  D  1.50 - 3.00 metres deep  E  Ditto 3.00 - 4.50m deep  Ditto 4.50 - 6.00m deep  Ditto 6.00 - 7.50m deep  H  Extra over for excavating in rock  IJ  Remove surplus excavated material from site Plain  K  concrete 1:3:6 in wall foundation  L  150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M  diameter steel bars	
C Construct manhole to M.O.P.W.drawing Nos (50) 5300- (50) 5303 including all excavtions, construction, benching, channels, manhole cover and frame.  The following is 1 No. soak pits Excavate pit not exceeding 1.50m deep Ditto  D CM 6  1.50 - 3.00 metres deep  E Ditto 3.00 - 4.50m deep  Ditto 4.50 -6.00m deep  G Ditto 6.00 -7.50m deep  Extra over for excavating in rock  IJ  Remove surplus excavated material from site Plain  K Concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars	
excavtions, construction, benching, channels, manhole cover and frame.  The following is 1 No. soak pits Excavate pit not exceeding 1.50m deep Ditto  CM 6  1.50 - 3.00 metres deep  CM 6  Ditto 3.00 - 4.50m deep  F  Ditto 4.50 -6.00m deep  CM 5  Ditto 6.00 -7.50m deep  CM 5  Ditto 6.00 -7.50m deep  CM 1  Extra over for excavating in rock  IJ  Remove surplus excavated material from site Plain  K  concrete 1:3:6 in wall foundation  L  150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M  diameter steel bars	
Excavate pit not exceeding 1.50m deep Ditto  CM 6  1.50 - 3.00 metres deep  CM 6  Ditto 3.00 - 4.50m deep  CM 5  Ditto 4.50 -6.00m deep  CM 5  Ditto 6.00 -7.50m deep  CM 1  Extra over for excavating in rock  CM 6  Remove surplus excavated material from site Plain  K concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars	
D   CM   6   1.50 - 3.00 metres deep   CM   6   Ditto 3.00 - 4.50m deep   CM   5   Ditto 4.50 -6.00m deep   CM   5   Ditto 6.00 - 7.50m deep   CM   1   Extra over for excavating in rock   CM   6   Remove surplus excavated material from site Plain   CM   20   concrete 1:3:6 in wall foundation   CM   1   150mm thick reinforced concrete 1:2:4 in cover slab. 12mm   SM   5   diameter steel bars   CM   5    CM   1   SM   5    diameter steel bars   CM   5    CM   1   SM   5    diameter steel bars   CM   5    CM   1   SM   5    diameter steel bars   CM   5    CM   1   SM   5    diameter steel bars   CM   5    CM   1   SM   5    diameter steel bars   CM   5    CM   1   SM   5    diameter steel bars   CM   5    CM   1   SM   5    diameter steel bars   CM   5    CM   1    CM	
E Ditto 3.00 - 4.50m deep  F Ditto 4.50 - 6.00m deep  CM 5 Ditto 6.00 - 7.50m deep  Extra over for excavating in rock  Remove surplus excavated material from site Plain  K  concrete 1:3:6 in wall foundation  L  150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M  diameter steel bars  CM 6  CM 1  CM 20  CM 1  SM 5  diameter steel bars	
E Ditto 3.00 - 4.50m deep  F Ditto 4.50 -6.00m deep  CM 5  Ditto 6.00 -7.50m deep  CM 1  Extra over for excavating in rock  CM 6  Remove surplus excavated material from site Plain  K concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars  CM 6  CM 20  CM 1  SM 5  diameter steel bars	
F Ditto 4.50 -6.00m deep  CM 5  CM 5  Ditto 6.00 -7.50m deep  Extra over for excavating in rock  CM 1  Extra over for excavating in rock  CM 6  Remove surplus excavated material from site Plain  CM 20  Concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars	
Ditto 4.50 -6.00m deep  CM 5  Ditto 6.00 -7.50m deep  CM 1  Extra over for excavating in rock  CM 6  Remove surplus excavated material from site Plain  K concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars  CM 5  CM 6  CM 20  CM 1  SM 5	
Ditto 6.00 -7.50m deep  Extra over for excavating in rock  CM 1  Extra over for excavating in rock  CM 6  Remove surplus excavated material from site Plain  CM 20  concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars  CM 5  CM 5  CM 5	
H Extra over for excavating in rock  CM CM 6  Remove surplus excavated material from site Plain  K concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars  CM 5  CM 5  CM 6  SM 5	
Extra over for excavating in rock  CM 6  Remove surplus excavated material from site Plain  CM 20  concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars  CM 5  CM 5  CM 5	
Remove surplus excavated material from site Plain  K  concrete 1:3:6 in wall foundation  L  150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M  diameter steel bars	
K concrete 1:3:6 in wall foundation  L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars  CM 1  CM 1  SM 5	
L 150mm thick reinforced concrete 1:2:4 in cover slab. 12mm SM 5 diameter steel bars	
150mm thick reinforced concrete 1:2:4 in cover slab. 12mm  M diameter steel bars	
M diameter steel bars SM 5	
1 1 65 1 1	
N KG SS S8mm bars	
о <sup>(5,111)</sup> биз	
Sawn formwork to soffites for slab Ditto to P SM 5	
ledges 75-150mm high	
Q LM 7	
Boxing to form 600 x 450mm opening through 150mm thick cover slab.	
R 200mm thick coral block walling in cement sand mortar (1:4). Form or leave	
S 150mm diameter opening through 200mm thick walling.	
SM 2 NO 2	
Carried to Collection	

FOUL WATER DRAINAGE (CONTD)  25mm thick cement and sand screed to cover slabs 600 x  B  450mm pc manhole cover and frame 150mm diameter  C  U.P.V.C drain pipe in trenches Provide and fill boulders into  D  the pit.  Allow for testing the drainage system to the satisfaction of the Engineer.  E  Carried down to Collection Below  Collection  FROM PAGE 16 FROM  PAGE ABOVE  TOTAL FOR ELEMENT NO. 12  CARRIED TO	ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
A 25mm thick cement and sand screed to cover slabs 600 x  B 450mm pcc manhole cover and frame 150mm diameter  C U.P.V.C drain pipe in trenches Provide and fill boulders into  D the pit.  Allow for testing the drainage system to the satisfaction of the Engineer.  TEM  Carried down to Collection Below  Collection  FROM PAGE 16 FROM  PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO						
B 450mm pcc manhole cover and frame 150mm diameter NO 1 C U.P.V.C drain pipe in trenches Provide and fill boulders into LM 5 The pit. CM 22 Allew for testing the drainage system to the satisfaction of the Engineer.  E Carried down to Collection Below  Collection FROM PAGE 16 FROM PAGE 48 ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO	_		NA	6		
C U.P.V.C drain pipe in trenches Provide and fill boulders into  D the pit.  Allow for testing the drainage system to the satisfaction of the Engineer.  E Carried down to Collection Below  Collection  FROM PAGE 16 FROM PAGE ABOVE		2311111 tillek cement and sand screed to cover slabs 600 x	SIVI	O O		
D the pit. Allow for testing the drainage system to the satisfaction of the Engineer.  E Carried down to Collection Below  Collection FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO	В	450mm pcc manhole cover and frame 150mm diameter	NO	1		
D the pit. Allow for testing the drainage system to the satisfaction of the Engineer.  E Carried down to Collection Below  Collection FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO	С	U.P.V.C drain pipe in trenches Provide and fill boulders into	LM	5		
Allow for testing the drainage system to the satisfaction of the Engineer.  Carried down to Collection Below  Collection FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12  CARRIED TO						
Collection FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12  CARRIED TO	D	the pit.	CM	22		
Collection FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12  CARRIED TO		Allow for testing the drainage system to the satisfaction of the Engineer.				
COllection FROM PAGE 15 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO	E		ITEM			
COllection FROM PAGE 15 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO		Carried down to Collection Below			<u> </u>	
FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO						
FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO						
FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO						
FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO						
FROM PAGE 16 FROM PAGE ABOVE  TOTAL FOR ELEMENT NO. 12 CARRIED TO						
TOTAL FOR ELEMENT NO. 12 CARRIED TO		Collection				
TOTAL FOR ELEMENT NO. 12 CARRIED TO		EDOM DAGE 16 EDOM				
TOTAL FOR ELEMENT NO. 12 CARRIED TO		TROWFAGE 10 FROM				
		PAGE ABOVE				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.13				
	COLD ROOM,ICE PLANT & MECHANICAL INSTALLATION				
А	18KW evaprator unit as spcified	NO	2		
В	Semi hermitic condesing unit to match A bove and as specified Modular coold room	NO	2		
С	constructed from stored prefabricated panels	NO	2		
D	Control panel	NO	2		
E	Thermostat	NO	2		
	Dial thermometer		2		
F		NO	2		
G	Solenoid valve	NO			
Н	LP/HP Cut- out switch	NO	2		
IJ	Vepour seal	SM	120		
К	Thermal insulation 100mm thick SWG 20	SM	120		
L	Aluminium	SM	120		
М	Electrical works and wiring	ITEM	1		
N	40W Twin vapour proof light fitting	NO	4		
0	3.0 Meters fish rail	LM	6		
Р	Fish hooks in stainless steel	NO	20		
Q	3 Tire stainless steel fish storage racks Filter	NO	2		
R	drier	NO	2		
S	Sight glass	NO	2		
Т	Copper piping/amaflex insulation High	ITEM	1		
U	pressure gauge	NO	2		
V	Low pressure gauge	NO	2		
Х	20mm diametre class B GMS pipe Testing	LM	66		
	and commissioning	ITEM	1		
	Carried to Collection	1	<u> </u>	<u> </u>	

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ICE PRODUCTION PLANT				
Α	Collect from the store service and fix ice making machin	1	ITEM		
	Water Supply				
I	Dig and build a well diametre 2.0m and depth not less than 10.0 meter or untill satisfactory water quantities are obtained. Contractor is required to servey the site to ascertain soil types. The well should be within the compaound of the site.	NO	1		
	Submanible autore	NO	1		
	Submersible pumps				
I	Pumps capable of dilivering 2.5 litres per second against a head of 15 metres as Grundfos, power rating not less than 1.2HP or other equal and approved model and to be provided subject to pre- inspection and approved by Mechanical Engineer. One pump to be duty and the other to be stand-by.				
	Collect from the site service and fix Control panel including all necessary wiring,	NO	2		
	all controls for proper and satisfactory functioning of the submersible pumps				
U		NO	1		
w	Water storage tanks Supply deliver and install vertical close and plastic moulded tank of capacity 5000 liters and diameter 2600 x 5530mm high. The tank to be assembled complete with cover and having screwed connections for inlet, outlet and overflow, 32mm medium pressure ball valve, drain pipes and any other necessary item for it proper functioning the tank shall be mounted on a flat concrete stand and shall be as ROTO model or equal approved	1	NO		
w	Supply deliver and install vertical close and plastic moulded tank of capacity 5000 liters and diameter 2600 x 5530mm high. The tank to be assembled complete with cover and having screwed connections for inlet, outlet and overflow, 32mm medium pressure ball valve, drain pipes and any other necessary item for it proper functioning the tank shall be mounted on 7.0 metres high concrete column and slab tower (cost inclusive) and shall be as ROTO model or equal approved	1	NO		
	Provide for 20mm GMS piping for connecting water supply from water well to the overhead water tank				
w	Total carried to Collection  COLLECTION FROM PAGE 18	1	NO		
	FROM ABOVE				
	TOTAL FOR ELEMENT NO. 13 CARRIED TO (WATER TOWER) SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.14				
	WATER RETICULATION (ALL PROVISIONAL)				
	<u>Excavation</u>				
А	Excavate trench foor water mains approx depth 500mm part backfill,ram and cart away remainder	LM	50		
	Plumbing				
В	High grade 25mm diameter (PPR) tubing including laying and jointing in trench from amin supply line to buildings	LM	20		
С	Ditto 32mm	LM	30		
	EXTRA OVER TUBING FOR				
D	25mm (P.P.R) plain socket 32mm	NO	5		
E	ditto	NO	8		
F	32x32x25mm (G.I)reducing tee	NO	1		
G	25mm diameter (P.P.R) bend <u>Supply</u>	NO	5		
	Mains Isolating Valves				
Н	32mm full way aget valve as PEGLAR or equal and approved	NO	1		
	Water connections and testing				
I	32 X 32X 25mm (G.I) reducing tee	NO	1		
J	Allow for testing the water supply and water reticultaion system to leave in sound working order and to the satisfaction of the project manager	ITEM			
	Valve pit				
К	Construct valve pit size 225 x 225 x 500mm, with 100mm concrete block rendered all around cement and sand (1:4) including hinged iron cover and frame in grease.	NO	0		
L	Provide and install 5000 plastic water tank as 'KENTAINER' or equal and approved.	NO	2		
	TOTAL FOR ELEMENT NO. 14 CARRIED TO (WATER RETICULATION) SUMMARY	<u> </u>			

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.15				
	FIRE FIGHTING AND PROTECTION				
	Portable fire extinguisher				
А	9kg catridge type general purpose portable dry powder fire extinguisher fully charged r equal and approved	NO	2		
В	Ditto 4.5kg Co2	NO	2		
С	9 litre WCo2 ditto	NO	2		
D	Allow for the signage for fire exits and fire intructions all as described in the particular specifications and to the Project Engineer's Approval	ITEM			
	TOTAL FOR ELEMENT NO. 15 CARRIED TO (FIRE FIGHTING) SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 16 ELECTRICAL				
	INSTALLATION				
	Supply Install, Test and Commission Folllowing:-				
	<u>LIGHTING POINTS</u>				
А	Lighting points wired in 3 x 1.5mm2 PVC/SC copper cables drawn in concealed 20mm diameter heavy gauge PVC conduit complete with all necessary accessories excluding switches and fittings for				
	(a) One way switching	NO	6		
В	10A moulded ivory type switch plates as Crabtree or approved equivalent as follows				
	(a) One gang one way	NO	2		
	(b) Two gang one way	NO	4		
	LIGHTING FITTINGS				
С	Lighting fittings complete with all the necessary fixing materials and rated lamps as follows				
	1200mm 1 x 36W Flourescent batten fitting of slim crossection with clip-on cover plate and adjustable end cap system. As Thorn popular Pack Batten	NO	4		
	Spherical ball fitting commlete with energy saving lamps as Thorn or approved equivalent				
	100w tungsten bulkhead fitting as Astra italy complete with energy	NO	2		
	saver lamp	NO	2		
	SOCKET OUTLET AND POWER POINTS				
D	Socket outlets points comprising wiring in 3 x 2.5mm2 PVC-SC-CU cables in concealed 20mm diameter PVC conduits	NO	3		
E	13A2-gang switched moulded socket outlet plate as Crabtree or approved equivalent	NO	3		
	As item A (i) above but for ceiling fan 1400mm-				
F	3-Arm ceiling fan (psp) as orient	NO	1		
G		NO	1		
	Carried to Collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELECTRICAL INSTALLATION (CONT'D)				
н	M10 ceiling fan hook	NO	1		
	CONSUMER UNITS/DISTRIBUTION BOARDS				
F	6-Way SP/N consumer unit as flush mounted complete with a 100A SP/N intergral as CRABTREE or approved equivalent	NO	1		
G	Signle pole miniature circuit breakers to fit into the above consumer unit as follows:-				
	(i) 10A SP	NO	3		
	(ii) 30A SP	NO	1		
	(iii)Blanking plate <b>SUB</b>	NO	2		
	MAINS CABLES				
Н	3 x 16.0 sq mm single-copper cables drawn inside HG conduits	LM	20		
I	Signle tarrif meterbox made from gauge galvanized steel sheet complete with bonding screw/bolt and viewing glass	NO	1		
J	63A SP Swicthfuse	NO	1		
L	Electrical earthing comprising 6.0mm2 single-core cables drawn inside HG conduits,1500mm by 15mm diameter copper electrode complete with clamp and a pre-cat concrete inspection pit with cover	ITEM			
	Carried to Collection Below				
	Collection				
	FROM PAGE 22 FROM				
	PAGE ABOVE				
	TOTAL FOR ELEMENT NO. 16 CARRIED TO (ELECTRICAL INSTALLATION) SUMMARY				
<u> </u>	(LEECTHICAL INSTALLATION) SUIVINANT				<u> </u>

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	PROVISIONAL SUMS				
А	Allow for a Provisional Sum of Ksh. 150,000.00 for project management to be expended in whole or in part at the discretion of the Project Manager.	ITEM			
В	Allow for profit and overhead on Item A above.	%			
С	Allow a Provisional Sum of Ksh.500,000.00 for Contingencies.	ITEM			
D	Allow for profit and overhead on Item A above.	%			
E	Allow a Provisional Sum of Ksh.30,000.00 for Internal Plumbing Allow a	ITEM			
F	Provisional Sum of Ksh.30,000.00 for Sanitary fittings	ITEM			
	TOTAL FOR PROVISIONAL SUMS CARRIED TO				
	SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN
	SECTION SUMMARY				
Α	DEMOLITION WORKS	PG1			
В	SUBSTRUCTURES	PG4			
С	REINFORCED CONCRETE SUPERSTRUCTURE	PG5			
D	WALLING	PG6			
E	ROOFING	PG8			
F	DOORS	PG10			
G	WINDOWS	PG11			
н	EXTERNAL FINISHES	PG12			
IJ	INTERNAL FINISHES	PG13			
	CONCRETE WORKTOPS	PG14			
	MEAT/FISH HANGING RAILS	PG15			
	FOUL WATER DRAINAGE	PG17			
	COLD ROOM,ICE PLANT & MECHANICAL INSTALLATION	PG19			
	WATER RETICULATION	PG20			
	FIRE FIGHTING & PROTECTION	PG21			
Q	PROVISIONAL SUMS	PG23			
		PG24			
	TOTAL FOR BUILDERS WORKS CARRIED TO GRAND SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	GRAND SUMMARY				
	PARTICULAR & GENERAL PRELIMINARIES				
	BUILDER'S WORKS				
	SUB-TOTAL				
	ADD 16% VAT				
	GRAND TOTAL CARRIED TO FORM OF TENDER				

ZONITACIOF
Address
Signature
Date
Date